



Intro Editorial

Dear valued Swiss WorldCargo Customer,

Exciting news have been keeping us active at Swiss WorldCargo in recent months: our new commodity-focused, modular airfreight service structure has been live since 1 July 2023, providing you with greater flexibility thanks to a wide range of tailored solutions that best suit your unique cargo needs.

In fact, thanks to our new modular product structure, you can now choose one of our branded products and easily combine it with one or more of our transportation solutions (e.g. temperature-controlled options, expedited speed choices, or specialised handling for dangerous goods) and add-on services to facilitate your shipment (e.g. the 'Green Choice' option for more sustainable practices, real-time visibility with active tracking devices, or the convenience of home delivery service, directly to your warehouse). I am very enthusiastic about our new offer structure, as I believe that it will bring you added value through its enhanced customisation opportunities.

But that is not all. In our division, we are committed to contribute with our efforts to a more sustainable future for airfreight. That is why we were pleased to announce earlier this year, together with Swiss Airtainer and B.P.L., the transportation of a first shipment with a self-sustaining airfreight container for life-saving medicines which provides a significant weight reduction of 250kgs, resulting in less fuel consumption. The first shipment with this container took place in April.

None of the above milestones would have been possible without the solid and long-standing collaboration we share with you - our trusted and loyal customers. I want to express a heartfelt thank you for your unwavering support. In the months to come our main goal remains the same: keep offering you high-quality, professional, and reliable service.

Our Winter Timetable 2023/2024 will come into effect as of 29 October 2023. Our Service Guide provides you with accurate and up-to-date information about the products and solutions we can offer you, including details on our aircraft and ground-handling partners. Please visit our website swissworldcargo.com to find out about our latest news.

We look forward to a continued successful partnership and collaboration with you. We care for your cargo.

Kind regards,

Lorenzo Stoll Head of Cargo Swiss International Air Lines Ltd.

Intro

Contents

Intro	
- Editorial	2
- Contents	3
- Philosophy	4-5
Branded Products	
- Modular airfreight services	6
- SWISS General Cargo	7
- SWISS Valuables	8
- SWISS Vulnerables	9
- SWISS Pharma & Healthcare	10
- SWISS Perishables	11
- SWISS Live Animals	12
- SWISS Mail	13
Transportation Solutions	
- Celsius Active	14
- Container Portfolio	15-16
- Celsius Passive	17
- X-Presso	18-19
- Dangerous Goods	20
Add-on-Services	
- Green Choice	21-22
- Home Delivery	23
- Active Tracking Devices	25
Operational	
 Acceptance cut-off times (export) 	28-30
- Delivery times (import)	31-32
- Connecting times (transfer)	33-37
Fleet	
11000	
- Boeing 777-300 (77W)	38
	38 39
- Boeing 777-300 (77W)	
- Boeing 777-300 (77W) - Airbus A340-300 (343)	39
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333)	39 40
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321-111 (321)	39 40 41
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321-111 (321) - Airbus A321neo (32Q)	39 40 41 42
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321-111 (321) - Airbus A321neo (32Q) - Airbus A320-214 (320)	39 40 41 42 43
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A321-111 (321) - Airbus A321neo (32Q) - Airbus A320-214 (320) - Airbus A320neo (32N) - Airbus A320-100 (221) - Airbus A220-300 (223)	39 40 41 42 43 44 45-46 47-48
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321-111 (321) - Airbus A321neo (32Q) - Airbus A320-214 (320) - Airbus A320neo (32N) - Airbus A220-100 (221) - Airbus A220-300 (223) - Embraer 190 (E90)	39 40 41 42 43 44 45-46 47-48 49-50
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321-111 (321) - Airbus A321neo (32Q) - Airbus A320-214 (320) - Airbus A320neo (32N) - Airbus A220-100 (221) - Airbus A220-300 (223) - Embraer 190 (E90) - Embraer 190-E2 (290)	39 40 41 42 43 44 45-46 47-48 49-50 51-52
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321-111 (321) - Airbus A321-11 (320) - Airbus A320-214 (320) - Airbus A320neo (32N) - Airbus A220-100 (221) - Airbus A220-300 (223) - Embraer 190 (E90) - Embraer 190-E2 (290) - Embraer 195-E2 (295)	39 40 41 42 43 44 45-46 47-48 49-50 51-52 53-54
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321-111 (321) - Airbus A321neo (32Q) - Airbus A320-214 (320) - Airbus A320neo (32N) - Airbus A220-100 (221) - Airbus A220-300 (223) - Embraer 190 (E90) - Embraer 190-E2 (290)	39 40 41 42 43 44 45-46 47-48 49-50 51-52
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321-111 (321) - Airbus A321-11 (320) - Airbus A320-214 (320) - Airbus A320neo (32N) - Airbus A220-100 (221) - Airbus A220-300 (223) - Embraer 190 (E90) - Embraer 190-E2 (290) - Embraer 195-E2 (295)	39 40 41 42 43 44 45-46 47-48 49-50 51-52 53-54
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321-111 (321) - Airbus A321-111 (321) - Airbus A320-214 (320) - Airbus A320-100 (221) - Airbus A220-100 (221) - Airbus A220-300 (223) - Embraer 190 (E90) - Embraer 190-E2 (290) - Embraer 195-E2 (295) - Edelweiss Airbus A320-214 (32E)	39 40 41 42 43 44 45-46 47-48 49-50 51-52 53-54
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321-111 (321) - Airbus A321-111 (321) - Airbus A320-214 (320) - Airbus A320-100 (221) - Airbus A220-100 (221) - Airbus A220-300 (223) - Embraer 190 (E90) - Embraer 190-E2 (290) - Embraer 195-E2 (295) - Edelweiss Airbus A320-214 (32E) Unit Load Devices (ULD)	39 40 41 42 43 44 45-46 47-48 49-50 51-52 53-54
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321neo (32Q) - Airbus A321neo (32Q) - Airbus A320-214 (320) - Airbus A320neo (32N) - Airbus A220-100 (221) - Airbus A220-300 (223) - Embraer 190 (E90) - Embraer 190-E2 (290) - Embraer 195-E2 (295) - Edelweiss Airbus A320-214 (32E) Unit Load Devices (ULD) - Overview - Detailed information	39 40 41 42 43 44 45-46 47-48 49-50 51-52 53-54 55
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321neo (32Q) - Airbus A321neo (32Q) - Airbus A320-214 (320) - Airbus A320neo (32N) - Airbus A220-100 (221) - Airbus A220-300 (223) - Embraer 190 (E90) - Embraer 190-E2 (290) - Embraer 195-E2 (295) - Edelweiss Airbus A320-214 (32E) Unit Load Devices (ULD) - Overview	39 40 41 42 43 44 45-46 47-48 49-50 51-52 53-54 55
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321-111 (321) - Airbus A321-111 (321) - Airbus A320-214 (320) - Airbus A320neo (32N) - Airbus A220-100 (221) - Airbus A220-300 (223) - Embraer 190 (E90) - Embraer 190-E2 (290) - Embraer 195-E2 (295) - Edelweiss Airbus A320-214 (32E) Unit Load Devices (ULD) - Overview - Detailed information Cooling Unit Load Devices - Detailed information	39 40 41 42 43 44 45-46 47-48 49-50 51-52 53-54 55
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321-111 (321) - Airbus A321-111 (321) - Airbus A320-214 (320) - Airbus A320neo (32N) - Airbus A220-100 (221) - Airbus A220-300 (223) - Embraer 190 (E90) - Embraer 190-E2 (290) - Embraer 195-E2 (295) - Edelweiss Airbus A320-214 (32E) Unit Load Devices (ULD) - Overview - Detailed information Cooling Unit Load Devices - Detailed information Packagings	39 40 41 42 43 44 45-46 47-48 49-50 51-52 53-54 55
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321-111 (321) - Airbus A321-111 (321) - Airbus A320-214 (320) - Airbus A320neo (32N) - Airbus A220-100 (221) - Airbus A220-300 (223) - Embraer 190 (E90) - Embraer 190-E2 (290) - Embraer 195-E2 (295) - Edelweiss Airbus A320-214 (32E) Unit Load Devices (ULD) - Overview - Detailed information Cooling Unit Load Devices - Detailed information Packagings - Detailed information	39 40 41 42 43 44 45-46 47-48 49-50 51-52 53-54 55 56-57 58-61
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321-111 (321) - Airbus A321neo (32Q) - Airbus A320-214 (32Q) - Airbus A320neo (32N) - Airbus A220-100 (221) - Airbus A220-300 (223) - Embraer 190 (E90) - Embraer 190-E2 (290) - Embraer 195-E2 (295) - Edelweiss Airbus A320-214 (32E) Unit Load Devices (ULD) - Overview - Detailed information Cooling Unit Load Devices - Detailed information Packagings - Detailed information Insurance	39 40 41 42 43 44 45-46 47-48 49-50 51-52 53-54 55 56-57 58-61 62-67
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321-111 (321) - Airbus A321neo (32Q) - Airbus A320-214 (32Q) - Airbus A320neo (32N) - Airbus A220-100 (221) - Airbus A220-300 (223) - Embraer 190 (E9Q) - Embraer 190-E2 (29Q) - Embraer 190-E2 (29G) - Embraer 195-E2 (29S) - Edelweiss Airbus A320-214 (32E) Unit Load Devices (ULD) - Overview - Detailed information Cooling Unit Load Devices - Detailed information Packagings - Detailed information Insurance - General information	39 40 41 42 43 44 45-46 47-48 49-50 51-52 53-54 55 56-57 58-61 62-67
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (343) - Airbus A321-111 (321) - Airbus A321-111 (321) - Airbus A320-214 (320) - Airbus A320neo (32N) - Airbus A220-100 (221) - Airbus A220-300 (223) - Embraer 190 (E90) - Embraer 190-E2 (290) - Embraer 195-E2 (295) - Edelweiss Airbus A320-214 (32E) Unit Load Devices (ULD) - Overview - Detailed information Cooling Unit Load Devices - Detailed information Packagings - Detailed information Insurance - General information - Goods of all kinds	39 40 41 42 43 44 45-46 47-48 49-50 51-52 53-54 55 56-57 58-61 62-67 68-69
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321-111 (321) - Airbus A321-111 (321) - Airbus A320-214 (320) - Airbus A320neo (32N) - Airbus A220-100 (221) - Airbus A220-300 (223) - Embraer 190 (E90) - Embraer 190-E2 (290) - Embraer 195-E2 (295) - Edelweiss Airbus A320-214 (32E) Unit Load Devices (ULD) - Overview - Detailed information Cooling Unit Load Devices - Detailed information Packagings - Detailed information Insurance - General information Goods of all kinds - Species (SWISS Valuables)	39 40 41 42 43 44 45-46 47-48 49-50 51-52 53-54 55 56-57 58-61 62-67 68-69
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321-111 (321) - Airbus A321-111 (321) - Airbus A320-214 (320) - Airbus A320neo (32N) - Airbus A220-100 (221) - Airbus A220-300 (223) - Embraer 190-E2 (290) - Embraer 190-E2 (290) - Embraer 195-E2 (295) - Edelweiss Airbus A320-214 (32E) Unit Load Devices (ULD) - Overview - Detailed information Cooling Unit Load Devices - Detailed information Packagings - Detailed information Insurance - General information - Goods of all kinds - Species (SWISS Valuables) - Exclusions and claims	39 40 41 42 43 44 45-46 47-48 49-50 51-52 53-54 55 56-57 58-61 62-67 68-69
- Boeing 777-300 (77W) - Airbus A340-300 (343) - Airbus A330-300 (333) - Airbus A321-111 (321) - Airbus A321-111 (321) - Airbus A320-214 (320) - Airbus A320neo (32N) - Airbus A220-100 (221) - Airbus A220-300 (223) - Embraer 190 (E90) - Embraer 190-E2 (290) - Embraer 195-E2 (295) - Edelweiss Airbus A320-214 (32E) Unit Load Devices (ULD) - Overview - Detailed information Cooling Unit Load Devices - Detailed information Packagings - Detailed information Insurance - General information Goods of all kinds - Species (SWISS Valuables)	39 40 41 42 43 44 45-46 47-48 49-50 51-52 53-54 55 56-57 58-61 62-67 68-69

More information at swissworldcargo.com

© Copyright 2023. Swiss WorldCargo / ZRHLX/LM / October 2023. Subject to government approvals and alterations without prior notice.

Intro Philosophy

A worldwide standard

SWISS has developed its entire product and service philosophy on the basis of universal Swiss values such as friendliness, punctuality, reliability, safety and security, innovation, tradition, efficiency and the keenest attention to detail. It has done so with the clear aim of being a leading European airline that is active all over the world and is "best in class" in all its business areas – not just for passengers, but for cargo, too.

Added value

Adding value is one of Swiss WorldCargo's paramount objectives. As an internationally-active provider of airfreight capacity, SWISS cargo division creates genuine added value for its customers through its specialist expertise, its commitment to quality and its innovative skills.

Intro Philosophy

Airport-to-airport

Swiss WorldCargo focuses on globally marketing cargo capacity between two or more airports, and offers an airfreight network that stretches to more than 130 destinations in over 80 countries. Its network of air services is supplemented by daily truck connections between key business centres.

Flown as planned

With its guaranteed acceptance, transfer and delivery times and its carefully-selected ground handling partners, SWISS WorldCargo offers the firmest of commitments that all your consignments will be transported exactly as they are booked.

Seamless

Swiss WorldCargo does not market its own logistics concepts: it integrates its services seamlessly and precisely into its customers' supply systems and chains, to ensure that its total attention to safety and security extends to its customers' planning too.

Supervised

Seamless integration will only be half as effective unless it is combined with continuous monitoring and a swift and proactive response to any irregularities that occur. That's why Swiss WorldCargo provides its "Match" online consignment tracking system for its customers – to let them know in real time exactly where their shipment is currently located on the SWISS network.

Customer-centric

Swiss WorldCargo makes full use of its extensive experience and expertise to provide innovative concepts that are specifically tailored to its forward-looking customers and their particular airfreight needs.

Swiss WorldCargo offers aifreight products that include SWISS General Cargo, SWISS Valuables, SWISS Vulnerables, SWISS Pharma & Healthcare, SWISS Perishables, SWISS Live Animals and SWISS Mail.

In addition, we offer transportation solutions, such as X-Presso, Celsius Active, Celsius Passive, and Dangerous Goods, and add-ons like Green Choice, Home Delivery, and Active Tracking Devices

For further details, please visit swissworldcargo.com

Branded Products

Transportation Solutions and Add-on-services

Modular airfreight services

Swiss WorldCargo addresses the shipping needs of different commodities. We will provide you with flexible, scalable solutions that can be dynamically adapted to the changing needs of your goods.

Design your own air cargo service tailored to your needs.

1. The What (Products)


Pick from one of our branded products based on the commodity you are transporting.

2. The How (Transportation Solutions)

Select from our transportation solutions how do you wish to transport your shipment.

3. The Extra (Add-on-services)

Customize your shipment with one of our add-on services to match your needs.



Branded Products SWISS General Cargo







Let your shipments benefit from Swiss quality and reliability of service

Transporting goods of all kinds requires a high level of accuracy to ensure a reliable transportation service. SWISS General Cargo offers exactly that. You can rely on SWISS quality when we transport your consignment by air or by road. Throughout our global network we can provide excellent service tailored to meet your requirements.

SWISS General Cargo is suitable for any air cargo consignment for which customers require special quality and expertise. We focus on quality, reliability and efficiency, as our flights follow a strict schedule and you can count on our punctuality. **Our reliability. For your quality transportation.**

Why SWISS General Cargo?

Global network of excellence: With our extensive global network, we offer seamless air and truck connections between key business centers worldwide. Whether it's across continents or within a region, count on us to deliver your shipments promptly and efficiently.

Punctuality at its best: We take pride in our stable flight schedules and high 'flown as booked' rate ensuring your cargo reaches its destination on time, every time. Trust in our punctuality to keep your supply chain running smoothly.

Hub in Zurich: Our state-of-the-art hub in Zurich is designed for seamless integration into your supply chain, allowing for a quick transit time of up to 10 hours. The combination of short distances between the warehouse and aircraft positions, along with top-notch operational and warehouse handling, ensures your cargo is handled with the utmost efficiency and care.

No weight limitations: SWISS General Cargo has no weight limitations (subject to aircraft type restrictions), making it the ideal choice for a wide range of cargo shipments.

Branded Products SWISS Valuables







Premium solution for highly secured cargo transport

The premium solution for your highly secured supply chain. In today's world, valuable consignments encompass more than just traditional assets like gold, money, and precious gems. With the ever-increasing pace of life, there is a growing demand for transporting highly confidential documents, exquisite art pieces, and valuable collections. We understand the importance of mitigating risks associated with transporting high-value cargo. That's why our valuable product surpasses the security standards set by IATA. When you choose us to transport your valuables by air, you can trust in our commitment to upholding Switzerland's time-honored values of discretion, reliability, and technical expertise. **Our discretion. For your shipment's security.**

Why SWISS Valuables?

Unrivaled security measures: Exceeding IATA's security standards, we uphold Switzerland's values of discretion, reliability, and technical expertise, ensuring your valuable cargo is in safe hands. The four-eyes principle is followed during handling, transportation, and aircraft loading/unloading processes, ensuring thorough checks at every stage.

Discretion at every step: Benefit from special storage with camera surveillance, sealed containers, and highly secured transport for on-time delivery. We also accept dangerous goods, subject to local restrictions and IATA DG regulations.

Comprehensive protection: Our global network follows rigorous handling standards, storing your cargo in constantly monitored facilities, and delivering only to authorized consignees. With SWISS Valuables, you can rely on tarmac escort to and from the aircraft.

Reliable transportation hub: Our dedicated secure hub reduces potential risks with a separate and highly secured storage facility. Our Zurich hub offers short turnaround times and meticulous checks at every stage, ensuring efficient and secure transportation.

Branded Products SWISS Vulnerables







Protect your shipment without compromise

The hi-tech, the fine art and the high-end fashion and other specialised industries manufacturing complex and delicate products require reliable and protected logistics chains. Careful handling, product integrity, theft prevention, discretion and confidentiality are key requirements when it comes to air freight solutions for these extremely vulnerable products. With SWISS Vulnerables we offer substantially high protection against tempering. **Our caution. For your cargo protection.**

Why SWISS Vulnerables?

Enhanced theft protection: Our distinctive storage facilities come with special attendance and additional security checks both before departure and upon landing, ensuring your cargo's safety throughout the journey.

Secured transport processes: Specialised transport and handling processes guarantee that your cargo remains secure en route until its destination.

Tailored surveillance and loading: Our dedicated storage, surveillance, and precise loading procedures ensure that your cargo is shielded at every stage of its journey.

Skilled global personnel: Our highly trained and skilled personnel across the globe are dedicated to ensuring the security and safety of your shipment.

Capacity access: Enjoy preferential access to capacity without weight limitations (subject to aircraft type restrictions), providing you with flexibility and convenience.

Consistent quality standards: Benefit from our globally consistent handling and quality standards that reflect our commitment to excellence.

Branded Products SWISS Pharma & Healthcare







Rely on us to safeguard your product integrity

We recognize the crucial importance of transporting life-saving medicines, temperature-sensitive vaccines, and essential healthcare products with the highest level of precision and care. In a world where freshness, quality, and timeliness are paramount, our tailored airfreight solution ensures that your pharmaceutical and healthcare goods reach their destination in optimal condition. We understand the delicate nature of these commodities and maintain stringent measures to preserve their integrity throughout the entire journey. Trust us for precision and care in transporting your pharmaceutical and healthcare goods, trust our SWISS Pharma & Healthcare product. Our expertise. For your product integrity.

Why SWISS Pharma & Healthcare?

Customised Approach: Tailored to your unique needs, our offering provides a reliable and secure transportation solution for your sensitive shipments.

Temperature Solutions: Our transportation solutions ensure temperature maintenance throughout the entire transportation chain. Choose the solution that is best fitting your requirements:

- Celsius Active for the pharmaceutical temperature-controlled supply chain, demanding the strictest temperature maintenance and active temperature control throughout the entire transportation chain.
- Celsius Passive for temperature-sensitive pharmaceutical shipments, requiring temperature support for the storage and transportation at origin, transfer and destination.

Enhanced Services: Benefit from prioritized ground handling, the possibility to book express speed, short transit times, high flexibility, preferred flight capacity access, and global quality control.

Certifications: We are IATA CEIV Pharma certified as an airline, and our hub in Zurich holds the GDP compliance certification by Swissmedic and IATA CEIV Pharma certification.

Expert Staff: Our worldwide trained team provides professional shipment handling, ensuring the highest level of competence.

Branded Products SWISS Perishables







Trust us to always keep your perishables fresh

In a world where freshness, quality, and timeliness are paramount, the transportation of perishable goods demands utmost precision and expertise. At Swiss WorldCargo, we understand the critical nature of transporting delicate fruits, vegetables, and meats. We ensure your delicate produce maintains its freshness and quality throughout the journey.

We recognize the importance of every minute, and our streamlined supply chain guarantees swift and efficient delivery, minimizing any potential spoilage while adhering to the highest standards of care. **Our efficiency. For your consignments' freshness.**

Why SWISS Perishables?

Precision in perishables: Our team's expertise guarantees that your delicate fruits, flowers, vegetables, fish, seafood and meats remain as fresh as when they were harvested. From handling to transportation, we uphold the highest standards of care.

Efficiency in every detail: Benefit from seamless air and truck connections between global business centers. Our processes adhere to countries' regulations and we ensure that documentation is provided according to authorities' requirements.

Seamless integration: We seamlessly integrate into your supply chain, ensuring that your shipments move smoothly. Our commitment to high-quality handling standards means your goods are treated with the utmost care and attention.

Global consistency: No matter where your goods are headed, our highly skilled personnel worldwide ensure that your perishables receive the same level of care. Our integrated online consignment tracking system keeps you informed every step of the way.

Hub of excellence: Our Zurich hub offers dedicated handling and storage for perishables. Short distances between our warehouse and aircraft positions, along with efficient processes, minimize exposure to outside conditions, preserving your goods' quality.

Branded Products SWISS Live Animals







Entrust your beloved pets and animals to our attentive care for a worry-free journey

SWISS Live Animals is the premium service for transporting live animals with utmost care and expertise. We understand the importance of ensuring the well-being and safety of your precious animals during their journey. With a team of trained experts and specialized facilities, we go above and beyond to provide a seamless and stress-free experience for both you and your animals. Our fast and efficient transportation options, adherence to strict regulations, and commitment to animal welfare make us the preferred choice for transporting a wide range of live animals, including hatching eggs, tropical animals, zoo animals, pets, and more. Trust SWISS Live Animals to deliver exceptional service, peace of mind, and the highest level of care for your beloved companions. **Our care. For your peace of mind.**

Why SWISS Live Animals?

Specialized facilities and staff: The animal center in our Zurich hub is equipped with dedicated staff who are trained to provide maximum care for the animals. From ensuring a stress-free environment to offering water and additional food upon request, the expertise of staff ensures the well-being of the animals throughout their journey.

Priority and expert handling: Live animal shipments receive the highest transportation priority, guaranteeing their well-being and timely transportation. Our team follows strict IATA Live Animal Regulations and implements specific handling processes for their safety and comfort.

Crew attention: Our crew members prioritize the animals' well-being, maintaining the appropriate ambient temperature for a comfortable journey.

Constant monitoring: Our dedicated staff checks on the well-being of the animals at every step of their journey. We prioritize their comfort and safety throughout the transportation process.

Branded Products SWISS Mail







Deliver mail swiftly in transparency

The airmail parcel business is constantly increasing due to a phenomenal potential market volume and growth for national postal organisations. The worldwide major postal organisations are already prominently active in this high-potential business sector. They are busy ensuring greater vertical integration and control over their operation processes to secure a leading role in the global logistics arena and position themselves to offer integrated international Express Mail Services (EMS), Priority Mail (Airmail) or Non-Priority Mail (S.A.L).

Airmail services have their own special needs – whether they are Express Mail Services (EMS), Priority Mail (Airmail) or Non-Priority Mail (S.A.L) – exemplary efficiency is just as essential as absolute discretion, be it letters or parcels. **Our consistency. For your transparent delivery.**

Why SWISS Mail?

By choosing SWISS Mail, you benefit from unparalleled transparency, which can transform your business operations positively. Here's how:

Empowerment: You now have the ability to provide your end customers with full information, a vital aspect in today's competitive landscape. Transparency builds trust, and we understand how important it is to know exactly where your mail is at any given time.

Real-time adaptation: With continuous updates on your mail's current status, you can act swiftly in response to any unforeseen circumstances. Whether it's flight cancellations or backlogs, you have the flexibility to adjust production or re-route traffic temporarily to ensure smooth operations.

Transportation Solutions

Celsius Active



For your temperature controlled supply chain

The market for pharmaceutical and healthcare products continues to grow and shows a sustainable and sound development. As speed to market is essential, the healthcare industry is increasingly relying on air cargo. The challenge for all the involved parties in the supply chain is to keep healthcare products within the required temperature range to ensure an uninterrupted cool chain and preserve the quality of the product.

Maintaining cool chain integrity is a core element in the transportation of temperature controlled pharmaceutical products. To maintain the product temperature along the supply chain, customers are choosing an 'active' temperature controlled container based on technologies like compressor cooling, electric heating or dry ice refrigeration.

Swiss WorldCargo's Celsius Active is a custom-made, high-quality solution for your shipments that require seamless transportation in active temperature controlled containers.

Why Celsius Active?

Our Product

- Transport in active temperature-controlled containers for consistency in temperature ranges from -20 °C to +20 °C
- Quality control via check sheet at the airport of departure, transfer and arrival
- A global network of selected audited stations
- Thermo truck network available
- Worldwide personnel trained in temperature controlled container handling
- Uniform handling standards worldwide
- Dangerous goods accepted (local restrictions and IATA DG regulations apply)
- Integrated online consignment tracking system

Transportation Solutions

Container Portfolio

Envirotainer

LD9 Envirotainer RAP t2

Thermostat-controlled heat exchanger with dry ice as refrigerant Temperature range -20 °C to +20 °C See technical details on page 62

LD3 Envirotainer RKN t2

Technology thermostat-controlled heat exchanger with dry ice as refrigerant Temperature range -20 $^{\circ}$ C to +20 $^{\circ}$ C See technical details on page 62

LD9 Envirotainer RAP e2

Fully redundant thermostat-controlled air conditioning system with compressor cooling and electrical heating Temperature range 0 $^{\circ}$ C to +25 $^{\circ}$ C See technical details on page 63

LD9 Envirotainer Releye RAP

Fully redundant thermostat-controlled air conditioning system with compressor cooling and electrical heating
Temperature range +5 °C and +20 °C
See technical details on page 63

LD11 Envirotainer Releye RLP

Fully redundant thermostat-controlled air conditioning system with compressor cooling and electrical heating
Temperature range +5 °C and +20 °C
See technical details on page 64

LD3 Envirotainer RKN e1

Thermostat-controlled compressor cooling and electrical heating Temperature range 0 $^{\circ}$ C to +20 $^{\circ}$ C See technical details on page 64

Products & Services Container Portfolio

Sonoco ThermoSafe

LD3 ThermoSafe, Pegasus

Advanced passive temperature controlled system Temperature range +2 °C to +8 °C See technical details on page 65

CSafe

LD9 CSafe RAP

Thermostatic controlled compressor cooling and electrical storage Temperature range +4°C to +25°C See technical details on page 66

LD3 CSafe RKN

Thermostat-controlled compressor cooling and electrical heating Temperature range +4 $^{\circ}$ C to +25 $^{\circ}$ C See technical details on page 66

DoKaSch

LD9 DoKasch RAP

Fully redundant thermostat-controlled air conditioning system with compressor cooling and electrical heating Temperature range +2 $^{\circ}$ C to +30 $^{\circ}$ C See technical details on page 67

LD3 DoKasch RKN

Thermostat-controlled compressor cooling and electrical heating Temperature range +2 $^{\circ}$ C to +30 $^{\circ}$ C See technical details on page 67

Transportation Solutions

Celsius Passive



For your temperature sensitive supply chain

Customers around the globe are investing more and more resources in sophisticated passive packaging solutions for their time and temperature sensitive shipments.

However, it is not all about packaging, these healthcare shipments rely on high quality standardised processes, speed and adequate storage, wherever possible, throughout the supply chain.

Why Celsius Passive?

Our Product

- Choice between the four official IATA temperature ranges: controlled frozen (FRO -20 °C), controlled cool (COL +2 °C to +8 °C), controlled room temperature (CRT +15 °C to +25 °C) and controlled extended room temperature (ERT +2 °C to +25 °C) as well as ambient storage
- A global network of selected audited stations
- Thermo truck network available
- Skilled and trained personnel worldwide
- Uniform handling and quality standards worldwide
- Dangerous goods accepted (local restrictions and IATA DG regulations apply)
- Integrated online consignment tracking system

Transportation Solutions X-Presso



For your time-critical supply chain

When time is of the essence, trust X-Presso to deliver your shipments with unrivaled speed and precision. We understand the importance of urgent deliveries in today's fast-paced world, and that's why we've developed X-Presso – a transportation solution designed to meet your time-critical supply chain needs. With X-Presso, you can enjoy blazing-fast transit times, dedicated handling processes, and seamless integration with your existing products. Say goodbye to long shipping delays and embrace the power of X-Presso for your express shipping requirements. No matter the nature of your cargo, X-Presso enables faster shipping, freeing you from limitations based on the commodity type.

Why X-Presso?

Our Product

- Extremely short acceptance, transfer and delivery times
- Short notice reservations right up to the final acceptance deadline
- Skilled personnel worldwide
- Guaranteed space confirmation shortly before departure
- Globally consistent handling and quality standards
- No weight limitations (aircraft type restrictions apply)
- Globally consistent handling and quality standards
- An integrated online consignment tracking system

Transportation Solutions X-Presso

X-Presso facts

Capacity Features	X-Presso (XPS)	X-Presso XL (XPL)	X-Presso 'One Hour Option' (XPT)
Preferred space access	Intercontinental: Worldwide: Intercontinen 200 kg/1 m³ 500 kg/2.5 m³ 200 kg/1 m³ depends on aircraft type Intercontinen 200 kg/1 m³ University (depends on aircraft type)		Intercontinental: 200 kg/1 m³
Booking tolerance	+/-20%	+/-20%	+/-20%
Maximum weight/m³ per consignment	Depends on aircraft type	Depends on aircraft type	500 kg/2.5 m³ per inbound flight
Maximum weight per piece	50 kg	No limits	99 kg for loose shipments
Maximum dimensions per item	depends on aircraft type	depends on aircraft type	depends on aircraft type
BUP	Yes	Yes, except BUP with dangerous goods	Yes
Transport of special cargo (AVI, DGR, etc.)	No, except following Dangerous Goods: RRE, REQ and RDS (without dry-ice)	Yes	No, except following Dangerous Goods: RRE/REQ (without dry-ice)
Trucks services	Yes	Yes	Yes

Handling features	X-Presso (XPS)	X-Presso XL (XPL)	X-Presso 'One Hour Option' (XPT)
Latest acceptance times "ready for carriage"	90 min*	120 min* for loose items For dangerous goods and live animals, special acceptance conditions apply	90 min for XPS in combination with XPT 120 min for XPL in combination with XPT
Transfer times	90 min*	120 min*	60-89 min for XPS in combination with XPT 60-119 min for XPL in combination with XPT
Delivery times after landing	90 min*	120 min*	90 min for XPS in combination with XPT 120 min for XPL in combination with XPT
Special consignement labeling by the customers	X-Presso tags and stickers	X-Presso tags and stickers	X-Presso tags and stickers
Separate handling process	Yes	Yes	Yes

^{*} Local offers may differ from standard product. Local conditions may apply.

Transportation Solutions

Dangerous Goods



Care and expertise: Efficiently, quickly, safely and securely

Dangerous goods in the air cargo industry are articles or substances that are capable of posing a risk to health, safety, property or the environment, and which are regulated and classified in the IATA Dangerous Goods Regulations When it comes to shipping dangerous goods, shippers have to be fully aware and trained of what it entails, because ultimately, they are responsible for:

- Understanding restrictions pertaining to shipped dangerous goods
- Selecting the relevant compliant and safe packaging
- Labelling and marking dangerous goods as per IATA regulation
- Correctly completing the relevant documentation

Every year we transport around 16'000 tonnes of dangerous goods on board of our aircrafts. And thanks to our many years of expertise and our fully trained staff, we can grant you peace of mind in full compliance with the ICAO and IATA rules and regulations. You can rely on our knowledge and expert advice for booking, handling and transporting dangerous goods, because we care for your cargo.

Dangerous Goods compliance with regulations

- Compliance to the highest and latest safety & environmental standards
- Dedicated process to accept and handle dangerous goods, with specific acceptance times
- Extensive network
- Tracking system for additional peace of mind
- Fully trained staff worldwide. All personnel worldwide involved in dangerous goods handling are checked and monitored, whether their training is either certified by the local Civil Aviation Authorities or by IATA

Add-on-Services Green Choice



For your shipments with reduced carbon emissions

We are committed to offering more sustainable options to meet your shipping needs. With Green Choice, you can reduce the CO_2 emissions of your shipments through the purchase of Sustainable Aviation Fuel (SAF) or you can reduce the generated emissions by investing in climate protection projects.

Choose your compensation package

Discover our range of compensation packages designed to help you or your customers reduce CO_2 emissions of your goods, available at both the Airwaybill (AWB) level and in bulk. We offer flexible options that allow you to choose the level of Sustainable Aviation Fuel (SAF) and CO_2 offsetting into climate protection projects that best suits your needs. Whether you prefer compensating on individual AWBs or consolidating multiple shipments under a bulk agreement, we have the right solution for you. Take a closer look at our packages below:

AWB Level Compensation

Choose from three Green Choice options available for every shipment with an AWB. Ensure to book the compensation before shipment departure.

- Option 1: 80% SAF and 20% CO₂ offsetting
- Option 2: 40% SAF and 60% CO₂ offsetting
- Option 3: 100% CO₂ offsetting into climate protection projects

The AWB compensation applies to the entire routing and the final shipped gross weight of the shipment. Partial routing or partial shipment weight compensation is not possible, and fixed amount compensation is also not available.

Add-on-Services Green Choice



Bulk Agreement

With a bulk agreement, customers can reduce the carbon emissions for multiple shipments together, targeting specific emission reduction goals for their organization within a specific period. This agreement can be applied retrospectively or proactively, projecting anticipated business volume.

To ensure a more sustainable impact, we calculate emissions generated by the transportation of goods on our planes. Our offer for a bulk agreement includes compensation with 80% SAF and 20% investment into climate protection projects. We avoid overcompensation of emissions that were not emitted during the transportation.

Add-on-Services Home Delivery



For your peace of mind up to your warehouse

With our competitive network of trucks and a centralized hub in Zurich, Europe, we ensure a seamless connection from arrival to your final destination. The Home Delivery option can be added to the transportation of temperature-sensitive products, and our trucks are equipped with different temperature settings for optimal care.

Experience the benefits of our value proposition, including direct delivery to your own warehouse, temperature-controlled trucking vehicles, and short transfer and delivery times aligned with flight schedules. Choose between regular home delivery or ad-hoc options. Say goodbye to long waiting times and broken cold chains: our prompt truck arrangements and on-time deliveries with the required temperature ensure your cargo's safety.

Streamlined delivery solutions tailored to your needs

- Direct delivery to your warehouse
- Competitive network of trucks with a centralized hub in Zurich, Europe
- Flexibility to choose between regular home delivery booking or ad-hoc options
- Seamless connection from arrival to final destination
- Ability to combine with temperature-sensitive products
- Trucks equipped with different temperature settings
- Quality Management system ensuring continuous improvement and risk mitigation
- Efficient internal processes to prevent irregularities
- Knowledgeable customer service team available for inquiries
- Experienced support team for handling irregularities and issues

Add-on-Services Active Tracking Devices



For keeping control of your goods at all times

The need for timely information and transparency is a key requirement in supply chain logistics, since any number of cargo irregularities can occur during transportation, despite careful planning.

That is why we allow the transportation of SWISS-approved active tracking devices (ATDs). Additionally, we provide a 24/7 dedicated intervention team able to react to any ATD deviation alarm worldwide based on your request.

The use of any ATD listed below requires the customer to book their shipment with the SHC of EMD.

IATA regulations on lithium batteries are in effect, if more than 2 devices per package or more than 2 packages containing such devices, all packages containing such devices must be marked with the lithium battery mark and the «Nature and quantity of Goods Box» on the AWB must show the words «Lithium ion batteries in compliance with Section II of PI 967».

Contact

You will find your regional contact on our website at swissworldcargo.com

Branded Products

Overview of other Services

Active Tracking Devices

The need for timely information and transparency is a key requirement in supply chain logistics, since any number of cargo irregularities can occur during transportation, despite careful planning.

That is why we allow the transportation of SWISS-approved active tracking devices (ATDs). Additionally, we provide a 24/7 dedicated intervention team able to react to any ATD deviation alarm worldwide based on your request. The use of any ATD listed below requires the customer to book their shipment with the SHC of EMD.

IATA regulations on lithium batteries are in effect.

- 7P Solutions GD100/GL300/GL300W
 - (SWC authorizes the GL300series ONLY WITHOUT external extended batteries)
- ASPION loggers (all models)
- BeeSense Flex**
- BeOn A1
- Berlinger Smart Monitor SHIP L / Berlinger Smart Monitor SHIP S
- Berlinger SmartMonitor SHIP M*
- Berlinger SmartPoint
- Bosch TDL 140
- Calamp SC1102/SC1004*
- CargoSense Toshiba Environmental Logger
- Cartasense U-Sensor
- Controlant CO 10.01
- Controlant Saga * * , Saga-H * * , and Saga-P * *
- ELPRO LIBERO Cx series
- ELPRO LIBERO GE, GL, GS, GH*
- ELPRO LIBERO GE
- Emerson GO Real-Time Tracker(s), inc 4G/5G LT and 4G/5G GLOBAL versions
- Emerson GO Real-Time Tracker(s), inc 4G/5G LT versions and GO Bluetooth Plus Loggers
- Frigga T7, Frigga B9x and V5 series
- Hanhaa Parcelive
- HERE Premier Tracker
- Hive-Zox BEEconIoT * *
- HiveTracker BEEconloT with Probe
- Honeywell Gateway/Sensor Tags
- Intelyt
- Kelvin Pro /Track IT, Kelvin S100, M200 & M300
- Kirsen Global Security A-Type "Schenker Smartbox" Brieftrace
- Kizy K-2 Tracker
- KN Blue Sensor
- Kylos Air
- Lansmont_Saver_3X90* (if using alkaline battery option)
- Modum MODsense T

Branded Products

Overview of other Services

- Monilog® EnDaL smart * * * and MSD
- On Asset Sentry 500 & Sentry 600 Flightsafe and Sentinel 100 & 100C
- Roambee Bee and BeeSense Air*
- Roambee BeeSense Modbus
- Sendum PT300D/PT300
- SenseAware 3000 and SenseAware M4 & ID tag
- Shipit
- SIT1002 tracker
- Sony VT-G100
- STRACKER Single Use PT35
- System Loco E4BL Bluetooth Temp/Humidity Data Logger
- System Loco HGD4 Temp Data Logger, GPS Tracker (alkaline) *
- T11013050 / TTGEO Ultra Alkaline *
- T11013070 / TTGEO Ultra Dry Ice Alkaline *
- Tec4Med CryoBeaon / SmartBeacon / TempBeacon
- Tive Solo 5G 7000 (lithium) / Tive Solo 5G 7100 (non-lithium) * *
- ToolLive TL001
- Trackonomy FBB-2000 / Trackonomy FWB-2000
- Visilion Mobiam Tracker
- 7P GL300 series (SWC authorizes the GL300series ONLY WITHOUT external extended batteries)
 (Last update: October 2023)
- * AWB must include statement "Not restricted. Alkaline IATA DGR special provision SP A123." and "Not restricted as per Special Provision A123."
- ** AWB must include statement "Not restricted as per DGR Special Provision A199."

Note: According to IATA DGR 1.3, DG documentation and marking is the shipper's responsibility. Should a shipper decide not to take advantage of the new exception in IATA DGR SP A220 and deliver a consignment documented, marked or labeled as ELI or ELM, than a formal DG acceptance check sheet in accordance with LX CHM 6.1.12.1.1 / 6.1.12.3 must be issued upon cargo acceptance.

Note: As per IATA Dangerous Goods Regulations (DGR) 2021 Addendum A220. Packages containing COVID-19 pharmaceutical accompanied by data logger and or cargo tracking devices containing lithium batteries are not subject to the marking and documentation requirements of Section II Packaging Instruction 967 or 970, as applicable. This same package configuration, when consigned without the COVID-19 pharmaceutical for use or reuse, is also not subject to the marking and documentation requirements of Section II Packaging Instruction 967 or 970, providing prior arrangements have been made with the operator. Please contact your local Swiss World-Cargo office for information on repositioning empty packaging(s) that have real time tracking devices.

For an updated list of approved devices, please check our homepage swissworldcargo.com/en/activetrackingdevices

Branded Products Overview of other Services

Baggage shipped as Cargo

Do you have larger amounts of excess baggage? Send them with Swiss WorldCargo, the ideal solution for the transport of oversized and heavy baggage, bicycles, bulky goods, furniture etc. Please note the special acceptance deadlines.

Live Animals accompanying passenger

We do allow cats and dogs to travel with their owners in the cabin on most of the SWISS operated flights if the weight including the soft-sided bag does not exceed 8 kilogrammes. Otherwise, they may be transported in the hold as checked baggage or cargo.

Acceptance cut-off times (export)

Zurich All contents in minutes			es	
	led Products & portation Solutions	Narrow	Wide	Truck
SWIS	S General Cargo	180	240	240
SWIS	S Valuables	180	240	240
Genera	ally	90	90	90
Metals	s / goldbars / grains	120	120	120
SWIS	S Vulnerables	180	240	240
SWIS	S Pharma & Healthcare	180	240	240
SWISS Perishables		180	240	240
SWIS	S Live Animals	120 120		n/a
X-Pre	sso			
XPS	< 50 kg/piece (incl. RRE & REQ)	90	90	90
XPL	> 50 kg/piece (incl. RRE & REQ)	120	120	120
XPL	With Dangerous Goods (DG)	120	120	120
Celsiu	is Active	n/a	150	150
Celsiu	ıs Passive	180	240	240
Dang	erous Goods	Add 60	Add 60	Add 60
SWISS	/ISS General Cargo / SWISS Valuables / S Vulnerables / SWISS Pharma & ncare / SWISS Perishables			
	Security checks (Screening, hand search, sniffing, etc.)		Add 60	Add 60

If X-Presso Transportation Solution is combined with Live Animals or Dangerous Goods (excluding RRE & REQ), the shipment needs to be booked with a special handling code XPL.

Acceptance cut-off times (export)

Base		All contents in minutes		
	ed Products & portation Solutions	Narrow	Wide	Truck
SWISS	General Cargo	n/a	n/a	120
SWISS	S Valuables generally	n/a	n/a	90
SWISS	S Vulnerables	n/a	n/a	120
SWISS	S Pharma & Healthcare	n/a	n/a	120
SWISS	S Perishables	n/a	n/a	120
SWISS	S Live Animals	n/a	n/a	n/a
X-Pres	sso			
XPS	< 50 kg/piece	n/a	n/a	n/a
XPL	>50 kg/piece	n/a	n/a	90
Celsiu	s Active	n/a	n/a	90
Celsiu	s Passive	n/a	n/a	120
Dange	erous Goods	n/a	n/a	Add 60
	ity checks			
Gene	ening, hand search, sniffing, etc.)	n/a n/a Add 60 All contents in minutes		
	ed Products &	All conten	ts in minut	es
	oortation Solutions	Narrow	Wide	Truck
SWISS	General Cargo	90	180	180
SWISS	S Valuables generally	90	120	n/a
SWISS	S Vulnerables	90	180	180
SWISS	S Pharma & Healthcare	90	180	180
SWISS	S Perishables	90	180	180
SWISS	S Live Animals	180	180	n/a
X-Pres	SSO			
XPS	< 500 kg	50	50	n/a
XPL	> 500 kg	90	90	90
XPL	(except A320)	n/a	120	120
Celsiu	s Active	n/a 120 12		120
Celsiu	s Passive	90	180	180
Dange	erous Goods	Add 60	Add 60	Add 60
Security checks			Add 60	

Acceptance cut-off times (export)

Berr	ne (City Cargo Terminal)	All contents in minutes		
	led Products & portation Solutions	Narrow	Wide	Truck
SWIS	S General Cargo	n/a	n/a	90
SWIS	S Valuables generally	n/a	n/a	90
SWIS	S Vulnerables	n/a	n/a	90
swis	S Pharma & Healthcare	n/a	n/a	90
SWIS	S Perishables	n/a	n/a	90
swis	S Live Animals	n/a n/a n/a		
X-Pre	sso			
XPS	< 50 kg/piece	n/a	n/a	90
XPL	> 50 kg/piece	n/a	n/a	90
Celsiu	is Active	n/a n/a n/a		n/a
Celsiu	ıs Passive	n/a n/a 90		90
Dang	erous Goods	n/a n/a Add 15		
Security checks				
(Scre	ening, hand search, sniffing, etc.)	n/a	n/a	n/a

Operational Delivery times (import)

Zurich	Earliest time ready for pic All contents in minutes af	•	
Branded Products & Transportation Solutions	Documents		Goods
SWISS General Cargo	Narrowbody	90	240
SWISS Vulnerables	Widebody	90	360
SWISS Pharma & Healthcare	Truck	90	360
SWISS Valuables	Generally	90	90
CM/ICC De delected a	Flights ATA until 06:30h	90	11:00h
SWISS Perishables	Flights ATA 10:30-11:15h	90	15:45h
SWISS Live Animals		90	120
	All other flights: See delivery times of SWISS General Cargo		
X-Presso			
XPS	< 50 kg/piece	90	90
XPL	>50 kg/piece	90	120
Celsius Active		90	120
Celsius Passive	Narrowbody	90	240
	Widebody	90	360
	Truck	90	360

Basel	Earliest time ready for pick-up All contents in minutes after ATA		
Branded Products & Transportation Solutions	Documents		Goods
SWISS General Cargo	Narrowbody	n/a	n/a
SWISS Vulnerables	Widebody	n/a	n/a
SWISS Pharma & Healthcare SWISS Perishables	Truck	60	180
SWISS Valuables	Generally 60		90
SWISS Live Animals	n/a		n/a
X-Presso			
XPS	< 50 kg/piece	60	90
XPL	>50 kg/piece	60	120
Celsius Active		60	180
Celsius Passive	Narrowbody	n/a	n/a
	Widebody	n/a	n/a
	Truck	60	180

Operational Delivery times (import)

Geneva	Earliest time ready for pick-up All contents in minutes after ATA		
Branded Products & Transportation Solutions	Documents		Goods
SWISS General Cargo	Narrowbody	120	120
SWISS Vulnerables	Widebody	180	180
SWISS Pharma & Healthcare SWISS Perishables	Truck	100	100
SWISS Valuables	generally	120	120
SWISS Valuables		90	120
SWISS Live Animals		90	120
X-Presso			
XPS/XPL	loose 1-500 kg	50	50
XPS/XPL	loose > 500 kg	50	60
XPS/XPL	palletised	50	80
Celsius Active		180	180
Celsius Passive	Narrowbody	120	120
	Widebody	180	180
	Truck	100	100

Berne (City Cargo Terminal)	Earliest time ready for pick-up All contents in minutes after ATA		
Branded Products & Transportation Solutions	Documents Good		Goods
SWISS General Cargo	Narrowbody	n/a	n/a
SWISS Vulnerables SWISS Pharma & Healthcare SWISS Perishables	Truck	60	90
SWISS Valuables	generally	60	90
SWISS Live Animals		n/a	n/a
X-Presso			
XPS	< 50 kg	60	90
XPL	>50 kg	60	90
Celsius Active		n/a	n/a
Celsius Passive	Narrowbody	n/a	n/a
	Truck	60	90

Connecting times (transfer)

SWISS General Cargo / SWISS Pharma & Healthcare / SWISS Perishables

Zurich						
From	То	Narrowbody and bulk	320, 321	Widebody and truck		
Narrowbody and Bulk		360 min	360 min	600 min		
320, 321		360 min	360 min	600 min		
Widebody and Truck		600 min	600 min	600 min		

Note:

Through units generally 120 min Through units "One Hour Option" 90 min

Basel			
To From	Narrowbody and bulk	320, 321	Widebody and truck
110111	and bulk	320, 321	and truck
Truck	180 min	180 min	360 min

Geneva					
To Narrowbody 320, 321 Widebody From and bulk and truck					
Narrowbody	90 min	90 min	90 min		
Truck	180 min	180 min	180 min		
Widebody	180 min	180 min	180 min		

Connecting times (transfer)

SWISS Valuables

Zurich		
То	All aircraft	
From		
All aircraft	90 min	

Geneva	
То	All aircraft
From	
All aircraft	90 min

SWISS Vulnerables

Zurich				
To Narrowbody 320, 321 Widebody From and bulk and truck				
Narrowbody and Bulk		300 min	300 min	480 min
320, 321		300 min	300 min	480 min
Widebody and Truck		480 min	480 min	480 min

Basel				
To Narrowbody Widebody From and bulk 320, 321 and truck				
Narrowbody	75 min	180 min	360 min	
Truck	180 min	180 min	360 min	
Widebody	360 min	360 min	360 min	

Geneva				
To Narrowbody Widebody From and bulk 320, 321 and truck				
Narrowbody	90 min	90 min	90 min	
Truck	180 min	180 min	180 min	
Widebody	180 min	180 min	180 min	

Connecting times (transfer)

SWISS Live Animals

Zurich	
То	All aircraft
From	
All aircraft	120 min

Geneva	
То	All aircraft
From	
All aircraft	120 min

X-Presso

Zurich				
All aircraft Truck				
X-Presso	90 min	90 min		
X-Presso XL	120 min	120 min		

Basel				
	Narrowbody	Widebody	Truck	
X-Presso	30 min	90 min	90 min	
X-Presso XL	120 min	120 min	120 min	

Geneva				
All aircraft Truck				
X-Presso	90 min	90 min		
X-Presso XL	120 min	120 min		

Connecting times (transfer)

Celsius Active

Zurich				
From	То	Narrowbody and bulk	320, 321	Widebody and truck
Narrowbody and Bulk		n/a	n/a	n/a
320, 321		n/a	n/a	n/a
Widebody and Truck		n/a	n/a	120 min

Basel			
To From	Narrowbody and bulk	320, 321	Widebody and truck
110111	una baik	020,021	una truck
Truck	n/a	n/a	120 min

Geneva				
To From	Narrowbody and bulk	320, 321	Widebody and truck	
Narrowbody	n/a	n/a	n/a	
Truck	n/a	n/a	n/a	
Widebody	n/a	n/a	120 min	

Operational

Connecting times (transfer)

Celsius Passive

Zurich				
From	То	Narrowbody and bulk	320, 321	Widebody and truck
Narrowbody and Bulk		360 min	360 min	600 min
320, 321		360 min	360 min	600 min
Widebody and Truck		600 min	600 min	600 min


Note:

Through units generally 120 min Through units "One Hour Option" 90 min

Basel			
To From	Narrowbody and bulk	320, 321	Widebody and truck
		, -	
Truck	180 min	180 min	360 min

Geneva					
To From	Narrowbody and bulk	320, 321	Widebody and truck		
Narrowbody	90 min	90 min	90 min		
Truck	180 min	180 min	180 min		
Widebody	180 min	180 min	180 min		

Fleet Boeing 777-300ER (77W)



Area of operation

North and South America, Asia


Capacity for cargo and mail

Up to 25 tons with full passenger load

Weight and volume limitations

Compartments		1 2		3	4	5 Bulk	Security locker
Capacity	kg	15483	25838	23132	10322	2721	50
Combined max.	kg	408	323	23	151		
Volume	m³	9	4	90).6	16.99	0.04
Number of units		2C/2P	5P	12C	4C/1P		


Note: Max. weight per pallet 88×125 " is 4625 kg, for pallet 96×125 " 5100 kg. Variable pallet, container configuration.



Basic allocation for cargo and mail

8 pallets/containers 10 LD3 containers

Fleet Airbus A340-300 (343)



Area of operation

North and South America, Africa, Middle East, Asia


Capacity for cargo and mail

Up to 22 tons with full passenger load

Weight and volume limitations

Compartments		1 2		3	4	5 Bulk	Security locker
Capacity	kg	10206	20412	14832	11619	1881	7
Combined max.	kg	228	361	185	507		
Volume	m³	80).5	62	2.5	12.0	0.04
Number of units		6 C	4 P	6 C 1 P	7 C		


Note: Max. weight per pallet $88 \times 125^{\circ}$ is 4625 kg, for pallet $96 \times 125^{\circ}$ 5100 kg. Section 52 is occupied by an additional container position (44L). Variable pallet, container configuration.



Basic allocation for cargo and mail

5 pallets/containers 10 LD3 containers

Fleet Airbus A330-300 (333)



Area of operation

North America, Asia, Africa, Middle East


Capacity for cargo and mail

Up to 19 tons with full passenger load

Weight and volume limitations

Compartments		1	2	3	4	5 Bulk	Security locker
Capacity	kg	9522	20412	14832	10206	3408	50
Combined max.	kg	228	361	185	507		
Volume	m³	80).5	62	2.6	19.6	0.09
Number of units		2 P or 6 C	4 P or 12 C	3 P or 8 C	2 P or 6 C		

Note: Max. weight per pallet $88\times125''$ is 4625 kg, for pallet $96\times125''$ 5100 kg. Variable pallet, container configuration.




Basic allocation for cargo and mail

5 pallets/containers 10 LD3 containers

Fleet

Airbus A321-111 (321)



Area of operation


Europe, North Africa, Middle East

Capacity for cargo and mail

Up to 2.8 tons with full passenger load

Weight and volume limitations

Compartments		1	2	3	4	5 Bulk	Security locker
Capacity	kg	2268	3402	3402	2268	1377	30
Volume	m³	7.0	10.5	10.5	7.0	5.2	0.036
Number of units		2 C	3 C	3 C	2C		





LD3-45 containers

Basic allocation for cargo and mail

4 containers

Fleet Airbus A321neo (32Q)



Area of operation


Europe, North Africa, Middle East

Capacity for cargo and mail

Up to 2.8 tons with full passenger load

Weight and volume limitations

Compartments		1	2	3	4	5 Bulk	Security locker
Capacity	kg	2268	3402	3402	2268	1377	18
Volume	m³	7.0	10.5	10.5	7.0	5.2	0.035
Number of units		2 C	3 C	3 C	2C		





LD3-45 containers

Basic allocation for cargo and mail

4 containers

Fleet Airbus A320-214 (320)



Area of operation


Europe, North Africa, Middle East

Capacity for cargo and mail

Up to 2.4 tons with full passenger load

Weight and volume limitations

Compartments		1	3	4	5 Bulk	Security locker
Capacity	kg	3402	2268	2268	500*	30
Volume	m³	10.5	7.0	7.0	2.5*	0.09
Number of units		3 C	2 C	2 C		





Basic allocation for cargo and mail

2 containers

* Of which max 100 kg/0.5 m3 for cargo and mail

Fleet Airbus A320neo (32N)



Area of operation


Europe, North Africa, Middle East

Capacity for cargo and mail

Up to 2.4 tons with full passenger load

Weight and volume limitations

Compartments		1	3	4	5 Bulk	Security locker
Capacity	kg	3402	2268	2268	500*	30
Volume r		10.5	7.0	7.0	2.5*	0.09
Number of units		3 C	2 C	2 C		





Basic allocation for cargo and mail

2 containers

* Of which max 100 kg/0.5 m3 for cargo and mail

Fleet Airbus A220-100 (221)



Area of operation

Europe

Capacity for cargo and mail

Up to 3 tons

Weight and volume limitations

		Compartment 1	Compartment 4			
Maximum mass	kg	1697	2063			
Maximum combined load	kg	37	3760			
Volume	m³	8.81	11.69			
Max. specific load (flat floor)	kg/m²	732	732			
Max. specific load (curved floor)	kg/m²	293	293			

Security locker available: 320 x 400 x 350 (mm) Maximum weight of a single piece: 149 kg

Fleet

Airbus A220-100 (221)

Maximum dimensions of packages

Forward Cargo Compartment

Length (cm)													
80	248	233	223	210	203	193	185	177	172	165	157		
78	274	256	243	231	220	210	200	193	185	177	172		
76	294	276	259	246	233	223	213	203	195	187	180		
73	317	297	279	264	248	236	226	215	208	200	193		
68	363	337	314	294	276	264	251	238	228	218	210	203	195
63	370	370	350	325	304	287	271	259	248	236	228	218	210
58	370	370	370	355	332	312	294	279	264	254	243	233	223
50	370	370	370	370	370	345	322	302	287	271	261	248	238
30	370	370	370	370	370	370	355	332	312	297	281	269	256
	7	15	22	30	38	45	53	60	68	76	83	91	99
					Wie	dth (cı	n)						


Aft Cargo Compartment - Forward Section

Length (cm)														
80	248	233	223	210	203	193	185	177	172	165	157			
78	274	256	243	231	220	210	200	193	185	177	172			
76	294	276	259	246	233	223	213	203	195	187	180			
73	317	297	279	264	248	236	226	215	208	200	193			
68	322	322	314	294	276	264	251	238	228	218	210	203	195	
63	322	322	322	322	304	287	271	259	248	236	228	218	210	
58	322	322	322	322	322	312	294	279	264	254	243	233	223	
50	322	322	322	322	322	322	322	302	287	271	261	248	238	
30	322	322	322	322	322	322	322	322	312	297	281	269	256	
	7	15	22	30	38	45	53	60	68	76	83	91	99	
					Wie	dth (cı	n)							

Aft Cargo Compartment - Aft Section

					Len	gth (c	m)						
80	241	231	218	208	198	193	185	177	172	165	157		
78	266	251	241	228	215	208	200	193	185	177	172		
76	281	269	254	243	231	220	210	200	195	187	180		
73	304	284	271	256	243	233	223	213	205	200	193		
68	345	320	302	284	271	256	243	236	226	215	208	200	195
63	388	355	332	314	294	281	266	254	241	233	226	215	208
58	406	396	363	340	322	302	284	271	259	246	238	231	220
50	406	406	406	381	355	330	312	294	281	266	254	243	236
30	406	406	406	406	396	365	342	322	304	287	276	261	251
	7	15	22	30	38	45	53	60	68	76	83	91	99
					Wie	dth (cı	n)						

Fleet Airbus A220-300 (223)



Area of operation

Europe

Capacity for cargo and mail

Up to 5 tons

Weight and volume limitations

		Compartment 1	Compartment 4
Maximum mass	kg	2446	2606
Maximum combined load	kg	50	52
Volume	m³	13.08	14.92
Max. specific load (flat floor)	kg/m²	732	732
Max. specific load (curved floor)	kg/m²	293	293

Security locker available: 363 x 457 x 348 (mm)

Maximum weight of a single piece: 149 kg Aircraft specification applicable as well for wet lease operation of airBaltic.

Fleet Airbus A220-300 (223)

Maximum dimensions of packages

Forward Cargo Compartment

Length (cm)														
80	248	233	223	210	203	193	185	177	172	165	157			
78	274	256	243	231	220	210	200	193	185	177	172			
76	294	276	259	246	233	223	213	203	195	187	180			
73 317 297 279 264 248 236 226 215 208 200 193														
68	363	337	314	294	276	264	251	238	228	218	210	203	195	
63	411	378	350	325	304	287	271	259	248	236	228	218	210	
58	462	419	386	355	332	312	294	279	264	254	243	233	223	
50	541	482	436	401	370	345	322	302	287	271	261	248	238	
30	584	568	505	457	416	383	355	332	312	297	281	269	256	
	7	15	22	30	38	45	53	60	68	76	83	91	99	
					Wi	dth (c	m)							

Aft Cargo Compartment - Forward Section

 		<u> </u>												
Length (cm)														
80	248	233	223	210	203	193	185	177	172	165	157			
78	274	256	243	231	220	210	200	193	185	177	172			
76	294	276	259	246	233	223	213	203	195	187	180			
73	317	297	279	264	248	236	226	215	208	200	193			
68	363	337	314	294	276	264	251	238	228	218	210	203	195	
63	411	378	350	325	304	287	271	259	248	236	228	218	210	
58	462	419	386	355	332	312	294	279	264	254	243	233	223	
50	482	482	436	401	370	345	322	302	287	271	261	248	238	
30	482	482	482	457	416	383	355	332	312	297	281	269	256	
	7	15	22	30	38	45	53	60	68	76	83	91	99	
					Wi	dth (c	m)							

Aft Cargo Compartment - Aft Section

					Len	gth (c	m)						
80	241	231	218	208	198	193	185	177	172	165	157		
78	266	251	241	228	215	208	200	193	185	177	172		
76	281	269	254	243	231	220	210	200	195	187	180		
73	304	284	271	256	243	233	223	213	205	200	193		
68	345	320	302	284	271	256	243	236	226	215	208	200	195
63	388	355	332	314	294	281	266	254	241	233	226	215	208
58	406	396	363	340	322	302	284	271	259	246	238	231	220
50	406	406	406	381	355	330	312	294	281	266	254	243	236
30	406	406	406	406	396	365	342	322	304	287	276	261	251
	7	15	22	30	38	45	53	60	68	76	83	91	99
					Wie	dth (ci	n)						

Fleet Embraer 190 (E90)



Area of operation

Europe

Capacity for cargo and mail

Up to 3.5 tons

. High passenger and luggage load substantially reduce the cargo/mail uplift.)

Weight and volume limitations

		FWD Compartment	AFT Compartment
Maximum weight	kg	1696	1401
Usable Volume	m³	10.99	8.92
Maximum floor load	kg/m²	488	488

Security locker not available.

Maximum weight of a single piece: 149 kg

Fleet Embraer 190 (E90)

Maximum dimensions of packages

Forward Cargo Compartment

			Maxi	mum Pac	kage Len	gth (cm)													
	71 63 56	302 344 483	250 256 396	215 221 294	150 180 215	140 170 180	140 150 170	130 130 150	120 130 130										
Height (cm)	48 40 33	495 500 505	400 410 416	300 310 340	270 280 280	240 240 260	210 210 230	170 190 200	150 160 170										
Hei	25 20 13	510 516 570	448 453 570	348 354 366	290 290 311	260 280 280	230 240 270	200 220 220	170 200 200										
		13	25	38	51	63	76	89	101										
			·	Wid	th (cm)		Width (cm)												

Aft Cargo Compartment

			Maxi	mum Pac	kage Len	gth (cm)							
	56	400	340	270	230	200	195	145	145				
Height (cm)	48 40 33	450 450 460	340 340 350	280 280 290	235 240 257	200 210 210	195 200 200	150 155 163	145 145 159				
Heigh	25 20 13	470 470 470	360 380 450	320 340 420	260 319 380	230 250 350	210 230 300	170 190 250	162 179 210				
		13	25	38	51	63	76	89	101				
	Width (cm)												

Fleet Embraer 190-E2 (290)



Area of operation

Europe

Capacity for cargo and mail

Up to 3.5 tons

. High passenger and luggage load substantially reduce the cargo/mail uplift.)

Weight and volume limitations

		FWD Compartment	AFT Compartment
Maximum weight	kg	1590	1910
Usable Volume	m³	8.75	10.07
Maximum floor load	kg/m²	488	488

Security locker not available.

Maximum weight of a single piece: 149 kg

Fleet Embraer 190-E2 (290)

Maximum dimensions of packages

Forward Cargo Compartment

			Maxi	mum Pac	kage Len	gth (cm)			
	71	302	250	215	150	140	140	130	120
	63	344	256	221	180	170	150	130	130
	56	483	396	294	215	180	170	150	130
Height (cm)	48	495	400	300	270	240	210	170	150
	40	500	410	310	280	240	210	190	160
	33	505	416	340	280	260	230	200	170
Hei	25	510	448	348	290	260	230	200	170
	20	516	453	354	290	280	240	220	200
	13	570	570	366	311	280	270	220	200
		13	25	38	51	63	76	89	101
				Wid	th (cm)				

Aft Cargo Compartment

			Maxi	mum Pac	kage Len	gth (cm)							
	56	400	340	270	230	200	195	145	145				
Height (cm)	48 40 33	450 450 460	340 340 350	280 280 290	235 240 257	200 210 210	195 200 200	150 155 163	145 145 159				
Heigh	25 20 13	470 470 470	360 380 450	320 340 420	260 319 380	230 250 350	210 230 300	170 190 250	162 179 210				
		13	25	38	51	63	76	89	101				
	Width (cm)												

Fleet Embraer 195-E2 (295)



Area of operation

Europe

Capacity for cargo and mail

Up to 3.5 tons

(High passenger and luggage load substantially reduce the cargo/mail uplift.)

Weight and volume limitations

		FWD Compartment	AFT Compartment
Maximum weight	kg	1590	1910
Usable Volume	m³	8.75	10.07
Maximum floor load	kg/m²	488	488

Security locker not available. Maximum weight of a single piece: 149 kg

Fleet Embraer 195-E2 (295)

Maximum dimensions of packages

Forward Cargo Compartment

			Maxi	mum Pac	kage Len	gth (cm)			
	71	302	250	215	150	140	140	130	120
	63	344	256	221	180	170	150	130	130
	56	483	396	294	215	180	170	150	130
Height (cm)	48	495	400	300	270	240	210	170	150
	40	500	410	310	280	240	210	190	160
	33	505	416	340	280	260	230	200	170
Hei	25	510	448	348	290	260	230	200	170
	20	516	453	354	290	280	240	220	200
	13	570	570	366	311	280	270	220	200
		13	25	38	51	63	76	89	101
				Wid	th (cm)				

Aft Cargo Compartment

	Maximum Package Length (cm)													
	56	400	340	270	230	200	195	145	145					
t (cm)	48 40 33	450 450 460	340 340 350	280 280 290	235 240 257	200 210 210	195 200 200	150 155 163	145 145 159					
Height	25 20 13	470 470 470	360 380 450	320 340 420	260 319 380	230 250 350	210 230 300	170 190 250	162 179 210					
		13	25	38	51	63	76	89	101					
				Wid	th (cm)									

Fleet

Edelweiss Airbus A320-214 (32E)



Area of operation

Europe, North Africa, Middle East

Weight and volume limitations

Compartments		1	3	4	5	
Capacity	kg	3402	2426	2110	1497	
Volume	m³	13.2	9.7	8.5	5.8	
Total Capacity			9435 kg / 3	7.2 cm		
Max Floor Load			732 kg/ı	m²		

Loading possibilities

Max weight per piece ULD Not Allowed FREE LOAD OK See Charts HEA Need OK from CSD

Compartment 1

Width cm	0	10	20	30	40	50	09	20	80	06	100	110	120	130	140	150	160	164
Heigthrange 1-115 cm	435	415	395	375	355	335	315	294	247	254	234	214	194	173	165	143	143	143
Heightrange 1-97cm	475	475	475	455	435	414	394	374	354	334	314	294	273	253	233	212	200	200
Heightrange 1-70 cm	475	475	475	475	475	475	465	333	424	403	382	362	341	319	298	275	253	253
	Package Length in cm																	

Compartment 3 & 4

Width cm	0	10	20	30	40	50	90	70	80	90	100	110	120	130	140	150	160	171
Heigthrange 1-115 cm	444	424	404	384	364	344	324	304	284	264	243	223	203	182	172	143	143	143
Heightrange 1-97 cm	485	485	485	465	445	425	405	384	364	344	324	304	284	264	243	223	202	200
Heightrange 1-70 cm	485	485	485	485	485	485	475	355	435	414	394	373	352	331	310	288	266	253
Package Length in cm																		

Unit Load Devices (ULD) Overview

ULD	IAIA	Interior	Usable	Maximum	Interchangeability				
description (external dimensions in inches)	code	dimensions (length/width/ height in cm)	volume m³ cu. ft	gross weight kg lbs	333/343/77W	320/321	Selected truck routes		
Pallets									
96 inch	P6P PMC	304x230x160	11.4 401	5103 11250	Х		Х		
88 inch	P1P PAJ	304x210x160	10.3 366	4626 10198	Х		Х		
LD11	PLA PLB	304x139x160	6.5 231	3175 7000	Х		Х		
60.4 inch* (PKC)	PKC	145x143x114	2.1 73	1134 2500		Х	Х		

^{*} Through unit acceptable only within A320 family.

Overview

				,			
ULD description	IATA code	Interior dimensions	Usable volume	Maximum gross weight	Interd	change	bility
description	Jour	(length/width/ height in cm)	m³ cu. ft	kg lbs	333/343/77W	320/321	Selected truck routes
Containers							
LD9	AMP	305x223x154	10.5 371	5103 11250	Х		Х
LD3	AKE AVA	146x144x153	4.3 152	1587 3500	X X		X X
LD3-45	AKH	145x143x111	3.6 127	1134 2500		Х	Х
LD3-45 (Valuable cargo)	AKW	145x143x111	3.6 127	1134 2500		Х	Х
Envirotainer	ICE c	ooling system					
LD9	RAP (t2)	253x206x142	8.22 290.2	4626 10198 (incl. dry ice)	Х		Х
LD3	RKN (t2)	141x135x136	2.93 103.4	1587 3500 (incl. dry ice)	Х		Х
Sonoco Thei	rmoSa	fe Advanced P	assive Te	emperature-	Contr	olled	JLD
LD3	AKP	122x102x122	1.5	1587 3500	Х		Х
Envirotainer	elect	ric compressor	cooling	system			
LD9	RAP (e2)	246x205x126	6.38 224.2	4626 10198	Х		Х
LD9	RAP (Releye)	246x205x132	6.60 233	4625 10196	Х		Х
LD11	RLP (Releye)	247x135x132	4.4 156	3175 6999	Х		Х
LD3	RKN (e1)	134x132x131	2.3 81.9	1587 3500	Х		Х
CSafe							
LD9	RAP	130x248x208	6.68 236	4626 10198	Х		Х
LD3	RKN	122x127x128	1.9 70	1587 3500	Х		Х
DoKaSch							
LD9	RAP	246x202x132	6.57 232	4626 10198	Х		Х
LD3	RKN	126x130x122	1.8 66	1587 3500	Х		Х

Detailed information

Remark

All figures are interior dimensions. The actual maximum net weight of each container depends on the structural weight limitations of the respective loading position in the aircraft.


96 inch pallet

IATA code: PMC

Loadable: 333 / 343 / 77W

Usable loading area: 304 x 230 cm / 120 x 91 in

Max. height: 160 cm / 63 in
Tare weight: 110 kg / 242 lbs
Max. gross weight: 5103 kg / 11250 lbs




88 inch pallet

IATA code: PA.I

Loadable: 333 / 343 / 77W

Usable loading area: 304 x 210 cm / 120 x 83 in

Max. height: 160 cm / 63 in
Tare weight: 110 kg / 242 lbs
Max. gross weight: 4626 kg / 10198 lbs



Weights depend on the structural weight limitations of the different pallet/container positions in the aircraft.

Could be built higher, if route is truck operated only.

Detailed information


LD11 pallet

IATA code: PLA / PLB Loadable: 333 / 343 / 77W

Usable loading area: $304 \times 139 \text{ cm} / 120 \times 55 \text{ in}$

Max. height: 160 cm / 63 in

Tare weight: 90-116 kg / 198-255 lbs
Max. gross weight: 3175 kg / 7000 lbs




60.4 inch pallet

IATA code: PKC Loadable: 320 / 321

Usable loading area: $145 \times 143 \text{ cm} / 57 \times 56 \text{ in}$

Max. height: 114 cm / 45 in
Tare weight: 40 kg / 88 lbs
Max. gross weight: 1134 kg / 2500 lbs



Could be built higher, if route is truck operated only.

Detailed information


LD9 container

IATA code: AMP

Loadable: 333 / 343 / 77W

Usable loading area: $305 \times 223 \text{ cm} / 120 \times 88 \text{ in}$

Max. height: 154 cm / 61 in
Tare weight: 270 kg / 595 lbs
Max. gross weight: 5103 kg / 11250 lbs



LD3 container


IATA code: AKE

Loadable: 333 / 343 / 77W

Usable loading area: 146 x 144 cm / 57 x 57 in

Max. height: 153 cm / 60 in Top length: 193 cm / 76 in

Tare weight: 66-88 kg / 145-194 lbs Max. gross weight: 1587 kg / 3500 lbs



Weights depend on the structural weight limitations of the different pallet/container positions in the aircraft.

Detailed information

LD3-45 container

IATA code: AKH Loadable: 320 / 321


Usable loading area: 145 x 143 cm / 57 x 56 in

 Max. height:
 111 cm / 44 in

 Top Length:
 243 cm / 96 in

 Tare weight:
 82 kg / 180 lbs

 Max. gross weight:
 1134 kg / 2500 lbs



LD3-45 container valuable cargo

IATA code: AKW Loadable: 320 / 321


Usable loading area: 145 x 143 cm / 57 x 56 in

 Max. height:
 100 cm / 39 in

 Top Length:
 243 cm / 96 in

 Tare weight:
 100 kg / 220 lbs

 Max. gross weight:
 1134 kg / 2500 lbs



Detailed information

LD9 Envirotainer RAP t2

IATA code: RAP

Loadable: 333 / 343 / 77W

Usable loading area: $253 \times 206 \text{ cm} / 100 \times 81 \text{ in}$


Max. height: 142 cm / 56 in
Tare weight: 450 kg / 992 lbs
Max. gross weight: 4626 kg / 10198 lbs

Dry ice capacity: 300 kg

660 lbs

Temperature range: -20 °C to +20 °C

-4 °F to +68 °F



LD3 Envirotainer RKN t2

IATA code: RKN

Loadable: 333 / 343 / 77W

Usable loading area: 141 x 135 cm / 56 x 53 in

 Max. height:
 136 cm / 53 in

 Tare weight:
 265 kg / 584 lbs


 Max. gross weight:
 1587 kg / 3500 lbs

Dry ice capacity: 180 kg

397 lbs

Temperature range: -20 °C to +20 °C

-4 °F to +68 °F



Detailed information

LD9 Envirotainer RAP e2

IATA code: RAP

Loadable: 333 / 343 / 77W / truck
Usable loading area: 246 x 205 cm / 97 x 80 in

 Max. height:
 126 cm / 49 in


 Tare weight:
 1100 kg / 2425 lbs

 Max. gross weight:
 4626 kg / 10198 lbs

 Recharging power supply:
 100-240 V AC, 50-60 Hz

Maximum power consumption: 1850 W Maximum charging time: 12 h

Temperature range: $0 \, ^{\circ}\text{C} \text{ to } +25 \, ^{\circ}\text{C}$



LD9 Envirotainer Releye RAP

IATA code: RAP

Loadable: 333 / 343 / 77W / truck
Usable loading area: 246 x 205 cm / 97 x 80 in

 Max. height:
 132 cm / 52 in


 Tare weight:
 1100 kg / 2425 lbs

 Max. gross weight:
 4625 kg / 10196 lbs

 Recharging power supply:
 100-240 V AC, 50-60 Hz

Maximum power consumption: 1850 W Maximum charging time: 11 h

Temperature range: +5 °C and +20 °C +41 °F and +68 °F



Detailed information

LD11 Envirotainer Releye RLP

IATA code: RLP

 Loadable:
 333 / 343 / 77W / truck

 Usable loading area:
 247 x 135 cm / 97 x 55 in

 Max. height:
 132 cm / 52 in


 Tare weight:
 880 kg / 1940 lbs

 Max. gross weight:
 3175 kg / 6999 lbs

 Recharging power supply:
 100-240 V AC, 50-60 Hz

Maximum charging time: 11 h

Temperature range: +5 °C and +20 °C +41 °F and +68 °F



LD3 Envirotainer RKN e1

IATA code: RKN

Loadable: 333 / 343 / 77W / truck Usable loading area: 134 x 132 cm / 52 x 51 in

Max. height: 131 cm / 51 in

Tare weight: 635 kg / 1399 lbs

Max. gross weight: 1587 kg / 3500 lbs

Recharging power supply: 100-240 V AC, 50-60 Hz

Maximum power consumption: 1850 W Maximum charging time: 8 h

Temperature range: 0 °C to +20 °C



Detailed information

LD3 Sonoco ThermoSafe, Pegasus

IATA code: AKP


Loadable: 333 / 343 / 77W / truck
Usable loading area: 122 x 102 cm / 48 x 40 in

Max. height: 122 cm / 48 in

Tare weight: 616 kg / 1358 lbs

Max. gross weight: 1588 kg / 3500 lbs

Temperature range: +2 °C to +8 °C
+36 °F to +46 °F



Detailed information

LD9 CSafe RAP

IATA code: RAP

Loadable: 333 / 343 / 77W / truck
Usable loading area: 248 x 208 cm / 98 x 82 in


 Max. height:
 130 cm / 51 in

 Tare weight:
 1213 kg / 2675 lbs

 Max. gross weight:
 4626 kg / 10198 lbs

 Recharging power supply:
 100-240 V AC, 50-60 Hz

Maximum charging time: approx. 10 h
Temperature range: +4 °C to +25 °C
+39 °F to +77 °F



LD3 CSafe RKN

IATA code: RKN

Loadable: 333 / 343 / 77W / truck

Usable loading area: $121 \times 127 \text{ cm} / 47 \times 50 \text{ in}$


 Max. height:
 127 cm / 50 in

 Tare weight:
 646 kg / 1424 lbs

 Max. gross weight:
 1587 kg / 3500 lbs

Recharging power supply: 100-240 V AC, 50-60 Hz

Maximum charging time: approx. 6 h
Temperature range: +4 °C to +25 °C



Detailed information

LD9 DoKaSch RAP

IATA code: RAP

Loadable: 333 / 343 / 77W / truck Usable loading area: 246 x 202 cm / 97 x 79 in

 Max. height:
 132 cm / 52 in


 Tare weight:
 1140 kg / 2513 lbs

 Max. gross weight:
 4626 kg / 10198 lbs

 Recharging power supply:
 110-220 V AC, 50-60 Hz

 (special cables needed)

Maximum charging time: approx. 6 h
Temperature range: +2 °C to +30 °C



LD3 DoKaSch RKN

IATA code: RKN

Loadable: 333/343/77W/truck Usable loading area: $126 \times 130 \text{ cm}/49 \times 51 \text{ in}$


Max. height: 122 cm / 48 in

Tare weight: 670 kg / 1477 lbs

Max. gross weight: 1587 kg / 3500 lbs Recharging power supply: 110-220 V AC, 50-60 Hz

(special cables needed)

Maximum charging time: approx. 6 h
Temperature range: +2 °C to +30 °C
+36 °F to +86 °F



Packagings

Detailed information


va-Q-case Half Euro (only on request)

IATA code: JYP6

Loadable: 320 / 321 / 333 / 343 / 77W / truck

Usable loading area: 60 x 34 cm / 23 x 13 in

Max. height: 47 cm / 18 in Tare weight: 113 kg / 249 lbs




va-Q-tainer Eurox

IATA code: JYP5

Loadable: 333 / 343 / 77W / truck Usable loading area: 120 x 85 cm / 47 x 33 in

Usable loading area: 120 x 85 cm / 47 Max. height: 117 cm / 46 in

Tare weight: 440 kg / 970 lbs




va-Q-tainer USx

IATA code: JYP4

Loadable: 333 / 343 / 77W / truck
Usable loading area: 120 x 125 cm / 47 x 49 in

Max. height: 117 cm / 46 in Tare weight: 578 kg / 1274 lbs



Packagings


Detailed information

19.va-Q-tainer XLx

IATA code: JYP3

Loadable: 333 / 343 / 77W / truck
Usable loading area: 164 x 125 cm / 64 x 49 in

Max. height: 122 cm / 48 in Tare weight: 660 kg / 1455 lbs




va-Q-tainer TwinX

IATA code: JYP3

Loadable: 333 / 343 / 77W / truck
Usable loading area: 211 x 125 cm / 83 x 49 in

Max. height: 122 cm / 48 in Tare weight: 800 kg / 1763 lbs



Insurance General information

Remark

Swiss International Air Lines Ltd.'s door-to-door cargo insurance (summary – terms and conditions of the insurance are subject to change without prior notice).

Introduction

We do of course our outmost to deliver your shipment safely and in time to its destination. In spite of the best care given, goods may get stolen, lost or damaged in transit, we therefore recommend you to insure your cargo against such risks. For this purpose, SWISS holds an open cover with Delvag Versicherungs-AG, Venloer Strasse 151-153, 50672 Cologne Germany.

Insurable value

The insurable value corresponds to the value of the goods at the place and time of commencement of the insured voyage, plus freight, insurance and other charges incurred up to the place of destination. In respect of trade goods, the value thus determined may be increased by the buyer's expected profit not exceeding 10% unless otherwise agreed. If there are no trade goods involved, the material cost, together with freight and the insurance premium, may be insured. Customs and excise duty may also be insured by special agreement.

Maximum sum insured

The maximum sum that can be insured for any one consignment is CHF 1 000 000 or the equivalent in foreign currency. For watches, jewellery, genuine pearls (including culture pearls), precious stones and other jewels as well as mobile phones different conditions apply, which can be requested at: cargo.claims@swiss.com or aircargo@delvag.de. The maximum sum insured may be increased by special agreement prior to the commencement of the risk.

To arrange insurance in excess of the above maxima, contact Swiss World-Cargo, Claims Management, P.O. Box ZRHS/LB-OS, CH-8058 Zurich Airport, cargo.claims@swiss.com or aircargo@delvag.de. Allow time to consult the insurers/re-insurers of at least 3 working days.

Insurance Goods of all kinds

Insurance cover goods of all kinds

Air cargo shipments of any kind may be insured on a worldwide basis via the SWISS Air Waybill within the terms and conditions of the open policy concluded between SWISS and Delvag. For species (valuable goods) as per insurer's definition see "Insurance cover species (valuables)" below.

Scope of insurance

The insurance is against all risks of damage or loss as per the special conditions of the open cover for goods.

Watches, jewellery, genuine pearls (including culture pearls), precious stones and other jewels: during the time the goods are in the custody of the assured, consignor or consignee, except in those cases where they are acting in the capacity of a carrier, the insurer is liable for loss only if it is the direct consequence of one of the following events:

violence threatened or used against the person charged with effecting the carriage or inability of those persons to offer resistance as a result of accident or death, specified accident in accordance with the general conditions. During intermediate stops: burglary occurring in locked rooms of massive buildings.

Livestock, perishable goods (plants, fruits, flowers, blood plasma, vaccines, meat, pharmaceutical, chemical, etc.), removal goods and vehicles have a special cover, please inquire with Swiss WorldCargo, Claims Management, P.O. Box ZRHS/LB-OS, CH-8058 Zurich Airport, cargo.claims@swiss.com.

Unless otherwise agreed, war, strike, disturbances and terrorism risks are not included.

Duration of insurance

The insurance is operative from warehouse to warehouse. It begins when the goods are delivered to the transporters (forwarding agents, post office, railway, airline) or their agents and sub-carriers, and terminates on delivery to the consignee named in the air waybill or insurance certificate, or to the final consignee designated by same.

For shipments of goods, collection from or delivery to the airports is covered, even when undertaken by the consignee or consignor.

Notwithstanding anything to the contrary contained elsewhere in the summary mobile phones are only covered from airport to airport by air.

Insurance Goods of all kinds

Note:

Transport to the airport of departure is only insured on condition that a specific request to this effect is made to LX or an IATA agent before commencement of the risk (i.e. on advice of shipment).

Delays in the execution of the insured voyages is limited to 60 days any one delay.

Security measures (surface)

For goods with high values (watches, jewellery, precious stones, etc.) adequate security measures must be provided for transportation from shipper's domicile to the airport of departure and from the airport of destination to the consignee's domicile.

Forwarding instruction (air)

Each consignment by aircraft with a value of CHF 10 000.– or higher each kilogramme gross has to be forwarded as "Valuable Cargo".

Watches, jewellery, genuine pearls (including culture pearls), precious stones and other jewels: each package by aircraft with a value of CHF 25 000.— or higher has to be forwarded as "Valuable Cargo".

Mobile phones: each consignment by aircraft has to be sent as SWISS Argus. If SWISS Argus is not available for a certain destination the consignment has to be forwarded as "Valuable Cargo". Forwarding as "Valuable Cargo" has also to be complied with if the value per each package by aircraft is in excess of CHF 25 000.— or if the value of the consignment by aircraft is in excess of CHF 200 000.—.

Insurance premium

The premium is calculated on the basis of the insurance value. The minimum per insured consignment is CHF 20.– or the equivalent in other currencies.

Insurance zones

- Zone 1: Europe, including European part of Turkey
- Zone 2: North America, including Mexico
- Zone 3: Central and South America
- Zone 4: Africa
- Zone 5: Asia, including Asian part of Turkey / Middle East / Australia and Oceania

Insurance Goods of all kinds

Tariff "goods of all kinds"

Zone	1	2	3	4	5			
	‰	‰	‰	‰	‰			
1	1.0	1.5	3.0	2.5	2.5			
2	1.5	1.0	3.0	2.5	2.5			
3	3.0	3.0	2.5	3.0	3.0			
4	2.5	2.5	3.0	2.5	2.5			
5	2.5	2.5	3.0	2.5	2.0			

[%] per mille of the insurable value

Special premiums for all routes

 Removal goods and personal effects 	
(shipped as cargo)	9.00‰
 Fragile and delicate goods (glass, porcelain, 	
stoneware, sculptures, glassware, pottery, etc.)	8.00‰
 Vehicles (cars, motorcycles, etc.) 	
Base premiums plus 50.00%	
- Livestock	30.00‰
 Perishable goods (plants, fruits, flowers, 	
meat, pharmaceutical, chemical, etc.)	30.00‰
- Frozen goods	7.50‰
- Refrigerated goods	12.00‰

- Watches

Mobile phones
 Base premium plus 50%

Additional premiums

- For delays exceeding 60 days, for each	
additional period of 30 days commenced	1.0%

For war, strikes, disturbance and terrorism on request

 For overland transport to/from the airport of departure/destination in excess of 750 km or 450 miles each

1.0‰

Insurance Species (SWISS Valuables)

Insurance cover species (SWISS Valuables)

Valuable cargo means a consignment which contains more of the following articles:

- 1. Any article having a declared value for carriage of USD 1'000.00 (or its equivalent) or more, per gross kilogram.
- 2. Gold bullion (including refined and unrefined gold in ingot form), dore bullion, gold specie, B. Gold only in the form of grain, sheet, foil, powder, sponge, wire, rod, tube, circles, mouldings and castings, A. Platinum, platinum metals (palladium, iridium, ruthenium, osmium and rhodium), Platinum alloys in the form of grain, sponge, bar, ingot, sheet, rod, wire, gauze, tube and strip, provided that those radioactive isotopes of the above metals and alloys are dangerous goods.
- Legal bank notes, traveller's cheque, securities, shares and share coupons, postage stamps and revenue stamps (excluding mint), ready for use bank cards and/or credit cards.
- 4. A. Diamonds (including diamonds for industrial use), rubies, emeralds, sapphires, opals and real pearls (including cultured pearls), I B. Jewelry consisting of any of the articles under A. above.
- 5. Jewelry and watches made of platinum and/or gold and/or silver, and
- Articles made of platinum and/or gold, other than platinum and/or gold plated.

Insurance Species (SWISS Valuables)

Scope of insurance

The insurance covers loss or damage as per the special conditions of the open cover for species. In the case of accompanied consignments, theft and loss are only insured if violence is threatened or used or if no resistance can be offered as a result of death or injury of the person charged with effecting the carriage.

Unless otherwise agreed, war, strike, disturbances and terrorism risks are not included

Duration of insurance

The insurance is operative from warehouse to warehouse, It attaches as soon as the species/valuables are removed from their present place for immediate transportation and terminates as soon as they are delivered to the place specified by the consignee.

For shipment of species, collection from or delivery to the airports is covered, even when undertaken by the consignee or consignor.

Note:

Transport to the airport of departure is only insured on condition that a specific request to this effect is made to LX or an IATA air cargo agent before commencement of the risk (i.e. on advice of shipment).

Storage during transit is covered up to 60 days any one storage.

Security measures (land)

For species adequate security measures for overland transports will be required (security vans and/or armored cars) under consideration of the insured value of the species. Please inquire with Swiss WorldCargo, Claims Management, P.O. Box ZRHS/LB-OS, CH-8058 Zurich Airport.

Forwarding instruction (air)

Species have to be forwarded as "valuable cargo". They must be expressly indicated as "VAL" in the AWB and SWISS Worx and must be handled according to current CHM instructions.

Insurance Species (SWISS Valuables)

Insurance premium

The premium is calculated on the basis of the insurance value. The minimum per insured consignment is CHF 20.– or the equivalent in other currencies.

Insurance zones

Zone 1: Europe, including European part of Turkey

Zone 2: North America, including Mexico

Zone 3: Central and South America

Zone 4: Africa

Zone 5: Asia, including Asian part of Turkey / Middle East / Australia and Oceania

Tariff "species" (SWISS Valuables)

Zone	1	2	3	4	5		
	‰	‰	‰	‰	‰		
1	0.5	0.75	2.5	1.75	2.0		
2	0.75	0.5	2.5	1.75	2.0		
3	2.5	2.5	2.0	2.5	2.5		
4	1.75	1.75	2.5	1.75	2.0		
5	2.0	2.0	2.5	2.0	1.75		

[%] per mille of the insurable value

Additional premiums

 For delays exceeding 60 days, for each additional period of 30 days commenced

1 0%

For war and strikes, disturbances and terrorism on request

 For overland transport to/from the airport of departure/destination in excess of 750 km or 450 miles each on request

1.0‰

Insurance Exclusions and claims

General exclusions (extract of the conditions)

The consequences of confiscation, seizure or detention by a government, authority or power, delay howsoever caused, in transit or delivery, wilful misconduct of the assured, infringement of import, export or transit regulations, infringement of carrier's regulations, false declaration.

Also excluded is damage attributable to: humidity of the air, influence of temperature unless specially agreed prior to the commencement of the risk, the nature of the goods such as self-deterioration, heating, spontaneous combustion, shrinkage, wastage, vermin originating in the goods insured, unsuitable condition of the goods for the insured voyage, inadequate packing, normal wear and tear, damage caused by nuclear energy, indirect losses of all kinds such as loss of interest, difference of exchange, loss of market, consequential loss. The insurer is released from all liability if his regulations concerning dispatch and limits are not adhered to or if with the insured's knowledge the agreed safety measures are not adhered to, the journey or the means of conveyance do not correspond to the agreement, the species are carried by inappropriate vehicles or routes are used which are unsuitable. Unless otherwise agreed prior to the commencement of the risk the insurer is not liable for political or social risks such as war, warlike occurrences. strike, lockout and disturbances of whatever kind, violent or malicious acts. The risk of terrorism for all transport related delays/storages exceeding 60 days. For permanent storage the risk of terrorism is generally excluded.

What to do in case of loss or damage

The assured must notify the insurer without any delay of any loss or damage which comes to his knowledge.

Furthermore, in the event of loss or damage it is the duty of the assured to take forthwith all measures for the preservation and salvage of the goods and for minimising the loss or damage.

The insurer also may take such measures. In the event of non-compliance with these obligations, the indemnification can be reduced commensurate with the assured's degree of fault.

All rights of recovery against third parties who may be held responsible for the loss or damage shall be preserved. In particular, the following steps are to be taken:

- a. Outward apparent loss or damage must be notified to the carrier in writing before delivery of the goods is taken.
- b. Whenever loss or damage is presumed, valid reserves must be lodged within the period prescribed by law or by contract.
- c. The carrier must be summoned to a joint survey of the loss or damage. The assured is responsible for all acts or omissions which prejudice the right of recovery.

Insurance Exclusions and claims

Claim regulations

To justify his title to claim for loss or damage, the claimant must provide the insurer with such original documents as are available, i.e.:

- Air waybill
- Commercial invoice, packing list (inventory indicating values, if no commercial shipment involved)
- Survey report by the carrier
- Copy of the notification of reserves to the carrier
- And if available:
- Insurance certificate
- Survey report by the claim agent

Claim documents shall be sent by the claim-receiving LX representation to Swiss WorldCargo, Claims Management, P.O. Box ZRHLX/CSS, CH-8058 Zurich Airport, for processing with the insurers.

Separate legal indication

The insurance is based on the following conditions: Institute Cargo Clauses

This policy shall be governed by the German law and the German courts shall have sole jurisdiction in any dispute arising hereunder. In case one provision contradicts such applicable law,only this provision shall be deemed void, all other provisions remain in force as agreed.

Transport to the airport of departure is only insured on condition that a specific request to this effect is made to SWISS or an IATA Cargo Agent before commencement of the risk (i.e. on advice of shipment)

Place of jurisdiction is Cologne (Germany). All rights against the insurer are forfeited unless suit is brought within two years of the event giving rise to the claim.

Further information

Further information is available from your nearest representation of Swiss WorldCargo or from the Head Office of Swiss WorldCargo in Zurich – Swiss WorldCargo, Claims Management, P.O. Box ZRHS/LB-OS, CH-8058 Zurich Airport, cargo.claims@swiss.com

Swiss WorldCargo offices

Ahmedabad

India

2 +91 79 26464504

2 +91 79 26466764 +91 79 26466813 cargo mumbai@swiss com

cargo.delhi@swiss.com Amsterdam

Netherlands **2** +31 20 8090 466 cargo.netherlands@ swiss com

Athens

Greece +30 210 35 43 898/9

cargo.greece@swiss.com Atlanta USA

> **2** +1 724 572 82 77 cargo.atlanta@swiss.com

Bangkok Thailand

★ +66 2 134 3039 cargo.thailand@swiss.com

Barcelona Spain

cargo.spain@swiss.com Basel/Mulhouse/

Freiburg Switzerland

★ +41 61 582 24 70
★ +41 61 582 18 95 cargo.basel@swiss.com Import

2 +41 61 325 24 40 +41 61 325 24 56

Beijing China

2 +86 10 6945 0450 +86 10 6945 0449 cargo.beijing@swiss.com

Belgrade Republic of Serbia c/o Sky Cargo Group

☎/昌 +381 11 2097 402 cargo.serbia@swiss.com

Belo Horizonte Brazil

c/o Europlus Cargo **2** +55 51 32262865 cargo.brazil.gssa@swiss. com

Berlin Germany Berlin

> **2** +49 69 69 710 0 cargo.germany@swiss.com

Berne

Switzerland

(for freight forwarders) ★ +41 848 80 20 00

+41 44 564 53 33

cargo sales@swiss.com (for private customers) c/o Cargologic Ltd

★ +41 31 381 79 86 +41 31 381 79 81 cargo.export.berne@ swiss.com Import

★ +41 31 381 79 79 +41 31 381 79 81

cargologic.bern@ cargologic.com

Billund

Denmark c/o Nordic GSA

★ +45 32 500 126 cargo.denmark@swiss.com

Birmingham United Kingdom

≅ +44 844 8888 724 +44 844 8888 725 cargo.unitedkingdom@ swiss.com

Bologna Italy

☎ +39 02 0070 3666 cargo.italy@swiss.com

Bordeaux France

2 +33 17 327 49 50 +33 141 846 814 cargo.france@swiss.com Boston

USA +1 724 572 8244

cargo.bos@swiss.com

Bratislava Slovakia

+420 220 114 081 cargo.czechrepublic@ swiss com

Bremen Germany

2 +49 69 69 710 0

cargo.germany@swiss.com Brussels

Belgium ★32 2 257 03 30

cargo.belgium@swiss.com Bucharest

Romania

c/o Kales Airline Services S.R.L

2 +40 730 102 704 cargo.romania@swiss.com

Budapest Hungary

2 +36 29 789 901

2 +36 29 789 902 **2** +36 29 789 904

cargo.hungary@swiss.com

Buenos Aires

Argentina c/o Crossracer International SA Town Office

★ +54 11 4322 4222 +54 11 4328 9676

cargo.argentina@swiss.com Airport Import ★ +54 11 5480 0157

+54 11 4897 4042 cargo.argentina@swiss.com Airport Export

≅ +54 11 4897 4040 ♣ +54 11 4897 4042

cargo.argentina@swiss.com Calgary

Canada

+1 514 422 8030

cargo.canada@swiss.com Cancun Mexico

★ +1 724 572 8277

cargo.mia@swiss.com Cape Town

South Africa

≅ +27 11 390 2449 **■** +27 11 390 2530 cargo.southafrica@ swiss.com

Chicago

USA

★ +1 724 572 8233 cargo.ord@swiss.com Cleveland

USA

+1 724 572 8233 cargo.ord@swiss.com

Cologne Germany

2 +49 69 69 710 0

cargo.germany@swiss.com Colombo

Sri Lanka

2 +94 11 243 54 03/4/5

+94 11 232 90 92 cargo.srilanka@swiss.com

Copenhagen Denmark

Air Trade Support Aps Copenhagen Airport

2 (+45) 3231 4286 cargo.denmark@swiss.com

Cork Ireland

≅ +353 1 861 2276 +353 1 861 2257 cargo.ireland@swiss.com

Curitiba

Brazil

c/o Europlus Cargo **2** +55 51 32262865

cargo.brazil.gssa@swiss.

Delhi

India

☎ +91 11 4705 7014 -18 ■ +91 11 4705 7020 cargo.delhi@swiss.com

Denver

USA 0 +1 72

≅ +1 724 572 8255 cargo.lax@swiss.com

USA

≅ +1 724 572 8233 cargo.ord@swiss.com

Dhaka Bangladesh

☎ +880 2 895 6374 ♣ +880 2 883 5028 cargo.bangladesh@swiss com

Dresden Germany

> ★ +49 69 69 710 0 cargo.germany@swiss.com

Dubai

United Arab Emirates

★ +971 4 606 44 99

+971 4 299 15 23

cargo dubai@swiss.com

Dublin Ireland

> **≅** +353 1 861 2276 **≡** +353 1 861 2257

cargo.ireland@swiss.com

■ Dusseldorf Germany ☎ +49 69 69 710 0

cargo.germany@swiss.com

Edinburgh United Kingdom

□ +44 844 8888 724 □ +44 844 8888 725 cargo.unitedkingdom@ swiss.com

El Paso USA

Florence Italy

★39 02 0070 3666 cargo.italy@swiss.com

Florianopolis
Brazil

c/o Europlus Cargo ☎ +55 51 32262865 cargo.brazil.gssa@swiss.

com
Frankfurt
Germany

≅ +49 69 69 710 0 cargo.germany@swiss.com

Geneva Switzerland

≅ +41 22 591 83 00

Glasgow

Gothenburg Sweden

c/o Air Trade Support
2 +46 8 59788 990
cargo sweden@swiss.com

Graz Austria

≅ + 43 1 395 092 40 cargo.austria@swiss.com

Germany

★ +49 69 69 710 0 cargo.germany@swiss.com

Hanoi Vietnam c/o ECS Group

≈ +84 4 3564 3719

cargo.vietnam@swiss.com

Hanover

Germany

★ +49 69 69 710 0 cargo.germany@swiss.com

Helsinki Finland

c/o Lufthansa Cargo ≈ +358 9 7585 2525 salesfinland@

lufthansa-cargo.com

Ho Chi Minh City
Vietnam

c/o ECS Group = +84 4 3225 2542 = +84 8 3547 2151

cargo.vietnam@swiss.com | Hohenems/Dornbirn Austria

Sales Office import/export (for freight forwarders) SWISS Valuables

≅ +41 848 80 30 00 All other products **≅** +41 848 80 20 00

+41 44 564 53 33 cargo.sales@swiss.com

Hong Kong
China

≅ +852 2769 8725 ■ +852 2764 6561 cargo.hongkong@ swiss.com

Innsbruck Austria

≅ +43 1 395 092 40 cargo.austria@swiss.com

Johannesburg

South Africa = +27 11 390 2449 = +27 11 390 2530

cargo.southafrica@ swiss.com Joinville

Brazil c/o Europlus Cargo ☎ +55 51 32262865

cargo.brazil.gssa@swiss.com

Ukraine c/o FF Cargo Services

☎/≜ +380 44 591 7894 cargo.ukraine@swiss.com Kolkata/Calcutta

India

☎ +91 33 4062 3210 cargo.delhi@swiss.com **Krakow**

Poland

★ +48 22 33 20 551/2/3 cargo.poland@swiss.com

Larnaca

Cyprus c/o LGS Handling

2 +357 2 4008500/1

lca.cargo@lgshandling.com
Las Palmas

Spain **☎** +34 91 312 07 50

cargo.spain@swiss.com Las Vegas

USA

1 +1 724 572 8255

cargo.lax@swiss.com Leipzig/Halle Germany

★ +49 69 69 710 0 cargo.germany@swiss.com
Lille

cargo.france@swiss.com

Peru

☎ +1 724 572 8277 cargo.mia@swiss.com **Linz**

Austria

+43 1 395 092 40

cargo austria@swiss c

cargo.austria@swiss.com | **Lisbon** | Portugal

c/o Global Aviation Cargo
= +35 1 963 174 856
cargo portugal@swiss.com

cargo.portugal@swiss.com
Ljubljana
Slovenia

★ +43 1 7007 72400 cargo.austria@swiss.com

Lódź Poland

☎ +48 22 33 20 551/2/3 cargo.poland@swiss.com

London

United Kinadom

2 +44 844 8888 724 +44 844 8888 725 cargo.unitedkingdom@ swiss com

Los Angeles USA

2 +1 724 572 8255 cargo.lax@swiss.com

Luxembourg

Luxemboura **☎** +32 2 257 03 30

cargo.belgium@swiss.com

Lvon France

2 +41 22 591 83 00 +41 22 799 23 76 cargo.lyon@swiss.com

Madrid Spain

+34 91 312 07 50 cargo.spain@swiss.com

Málaga Spain

★ +34 91 312 07 50

cargo.spain@swiss.com Male

Maldives +94 11 243 54 03/4/5

+94 11 232 90 92 cargo.maldives@swiss. com

Malmö

Sweden c/o Air Trade Support **2** +46 8 59788 990

cargo sweden@swiss.com

Malta

Malta ★ +356 21 809283 ext. 104 +356 21 809282 cargomalta swiss@ mal.com.mt

Manchester

United Kingdom ★ +44 844 8888 724 +44 844 8888 725 cargo.unitedkingdom@

swiss com Marseille

France ★ +33 17 327 49 50

+33 141 846 814 cargo.france@swiss.com Mauritius

Republic of Mauritius c/o Cel Aviation **2** +230 6379363 +230 637 9364 cargo.mauritius@swiss.

com Miami

USA

2 +1 724 572 8277 cargo.mia@swiss.com

Milan

Italy

2 +39 02 0070 3666 cargo.italy@swiss.com

Montreal Canada

cargo canada@swiss com

Moscow

Russian Federation +7 495 961 38 20

cargo.russia@swiss.com Muenster/Osnabrueck Germany

2 +49 69 69 710 0

cargo.germany@swiss.com Mulhouse

France

★ +41 61 582 24 70 +41 61 582 18 95 cargo basel@swiss.com

Mumbai/Bombay India

Reservation +91 22 6177 4677/8

Sales **2** +91 22 6177 4687/8 +91 22 6177 4666

cargo.mumbai@swiss.com Munich

Germany **2** +49 69 69 710 0 cargo.germany@swiss.com

Muscat Sultanate of Oman

≅ +968 24 356 971

cargo.oman@swiss.com Nantes

France

2 +33 17 327 49 50 +33 141 846 814 cargo.france@swiss.com

Naples Italy

2 +39 02 0070 3666

cargo.italy@swiss.com Navegantes

Brazil

c/o Europlus Cargo ★ +55 51 32262865 cargo.brazil.gssa@swiss.

com

Newark USA

+1 724 572 8222 +1 724 572 8223 cargo.ewr@swiss.com

New York (JFK) USA

★ +1 724 572 8211 +1 724 572 8212 cargo.ifk@swiss.com

Nice

France

2 +33 17 327 49 50 +33 141 846 814 cargo.france@swiss.com

Nurembera

Germany

≅ +49 69 69 710 0

cargo.germany@swiss.com Orlando

USA

★ +1 724 572 8277 cargo mia@swiss com Osaka

lanan

2 +81 6 6347 8720 cargo.iapan@swiss.com Oslo

Norway

Air Trade Support AS ★ +47 2240 3790

cargo.norway@swiss.com Palma de Mallorca Spain

+34 91 312 07 50 cargo.spain@swiss.com

Paris France

★ +33 17 327 49 50 +33 141 846 814 cargo.france@swiss.com Philadelphia

USA ★ +1 724 572 8222

♣ +1 724 572 8223 cargo ewr@swiss com

Phnom Penh Cambodia

≅ +855 23 230 618 **≅** +855 12 503 898

2 +855 92 468 999

cargo.cambodia@swiss.com

Phoenix USA

+1 724 572 8255 cargo lax@swiss.com

Phuket Thailand

★ +66 2 134 3039

cargo.thailand@swiss.com Porto

Portugal

c/o Global Aviation Cargo **☎** +351 963 174 856

cargo.portugal@swiss.com Porto Alegre

Brazil

c/o Europlus Cargo **2** +55 51 32262865

cargo.brazil.gssa@swiss. com Prague

Czech Republic **2** +420 220 114 081

cargo.czechrepublic@ swiss com

Pristina

Kosovo

★ +381 38 59 58 177 +381 38 59 58 174

cargoprn@ limakkosovo.aero

Punta Cana

Dominican Republic

≅ +1 809 959 0023 ■ +1 809 221 1273

cargo.dominicanrepublic@ swiss.com

Handling: puj.cargo@caribecargo.net

Rennes

≅ +33 17 327 49 50 **■** +33 141 846 814 cargo.france@swiss.com

Rio de Janeiro

+55 11 2445 5010 ext. 218 Reservation cargo brazil@swiss.com Cargo Operations swissworldcargo.brazil @crossracer.com.br

Rome

Italy \$\pi +39 02 0070 3666

Russian Federation c/o FF Cargo Services

☎ +7 812 603 46 53 ☎ +7 495 648 65 01 (ext. 1) cargo.stpetersburg@

swiss.com
Salt Lake City
USA

★ +1 724 572 8255 cargo.lax@swiss.com

Salzburg
Austria

≈ +43 1 395 092 40 cargo.austria@swiss.com

San Diego USA

☎ +1 724 572 8255

cargo.lax@swiss.com

San Francisco

USA

≅ +1 724 572 8266 **■** +1 724 572 8267

cargo.sfo@swiss.com
San José
Costa Rica

c/o AmericasGSA
\$\mathbb{\text{\figs}} +1 506 8302 1133
cargo.costarica@swiss.
com

Santo Domingo

Dominican Republic

≅ +1 809 549 0111 **≜** +1 809 549 0552

cargo.dominicanrepublic@ swiss.com Export sdq.ops@caribecargo.net Import

sdq.traffic@caribecargo.net

Santiago de Chile

★ +56 2 3263 9420 cargo.chile@swiss.com

São Paulo

☎ +55 11 2445 5010 ext. 218

Reservation cargo.brazil@swiss.com Cargo Operations swissworldcargo.brazil @crossracer.com.br

Shanghai China

☎ +86 21 6835 2190/2199 ext. 187-191

+86 21 6835 2180 cargo.shanghai@ swiss.com

Shannon

Ireland

≅ +353 1 861 2276

+353 1 861 2257 cargo.ireland@swiss.com

Singapore

+65 6542 3611 cargo.singapore@swiss.com

Skopje Austria

≅ +43 1 7007 72400

cargo.austria@swiss.com
Sofia

Bulgaria

c/o Globe Air Cargo \$\frac{1}{2}\$ +359 2 434 10 31

Stockholm

Sweden

c/o Air Trade Support ★ +46 8 59788 990

cargo.sweden@swiss.com

Strasbourg France

≅ +41 61 582 24 70 **≜** +41 61 582 18 95 cargo.basel@swiss.com Import

2 +33 3 67 65 00 40

Stuttgart Germany

★ +49 69 69 710 0 cargo.germany@swiss.com

Taipei Taiwan

≅ +886 2 2503 4123 ext. 888

= +886 2 2503 4122 cargo.hongkong@swiss.com

Tampa USA ★ +1 724 572 8277 cargo.mia@swiss.com

Tel Aviv

Export # +972 3 971 82 82 # +972 3 972 10 32 cargo.israel@swiss.com

***** +972 3 971 82 92 ***** +972 3 972 10 32

cargoimp.israel@swiss.com

Tenerife South Spain

★ +34 91 312 07 50 cargo.spain@swiss.com

Thessaloniki

Reservation

 ★ +30 2310 473823 skg.cargoservices@ swissport.gr

Tokyo

Japan Reservation/Sales

≅ +81 3 5405 4911

+81 3 5405 3088 cargo.japan@swiss.com

Toronto Canada

Toulouse

France ## +33 17 327 49 50

+33 141 846 814 cargo.france@swiss.com

Tucson USA

★ +1 724 572 8255 cargo.lax@swiss.com

Turin

Italy ## +39 02 0070 3666

cargo.italy@swiss.com **Valencia** Spain

★ +34 91 312 07 50

cargo.spain@swiss.com Vancouver

Canada

☎ +1 514 422 8030 cargo.canada@swiss.com **Venice**

Italy

★ +39 02 0070 3666 cargo.italy@swiss.com

Verona Italy

★39 02 0070 3666

Cargo italy@swiss corp

cargo.italy@swiss.com Vienna

Austria

≅ +43 1 395 092 40 cargo.austria@swiss.com

Warsaw Poland

2 +48 22 33 20 551/2/3

cargo.poland@swiss.com Washington

USA ★ +1 724 572 8222 +1 724 572 8223

cargo.ewr@swiss.com

Wroclaw

Poland **2** +48 22 33 20 551/2/3

cargo.poland@swiss.com Zurich Switzerland

Sales Office import/export (for freight forwarders) SWISS Valuables

≅ +41 848 80 30 00 All other products

2 +41 848 80 20 00 **=** +41 44 564 53 33 cargo.sales@swiss.com Export

(for private customers) **2** +41 44 564 54 54 **+41 44 564 54 64** cargo.export.zurich@ swiss.com

Calendar Kalender Calendrier

Oct 2023								Nov 2023								Dec 2023							
	M	Т	W	Т	F	S	S		M	Т	W	Т	F	S	S		М	Т	W	Т	F	S	S
39							1	44			1	2	3	4	5	48					1	2	3
40	2	3	4	5	6	7	8	45	6	7	8	9	10	11	12	49	4	5	6	7	8	09	10
41	9	10	11	12	13	14	15	46	13	14	15	16	17	18	19	50	11	12	13	14	15	16	17
42	16	17	18	19	20	21	22	47	20	21	22	23	24	25	26	51	18	19	20	21	22	23	24
43	23	24	25	26	27	28	29	48	27	28	29	30				52	25	26	27	28	29	30	31
44	30	31																					
Jan 2024						Feb 2024								Mar 2024									
	M	T	W	Т	F	S	S		M	Т	W	T	F	S	S		М	Т	W	Т	F	S	S
1	1	2	3	4	5	6	7	5				1	2	3	4	9					1	2	3
2	8	9	10	11	12	13	14	6	5	6	7	8	9	10	11	10	4	5	6	7	8	9	10
3	15	16	17	18	19	20	21	7	12	13	14	15	16	17	18	11	11	12	13	14	15	16	17
4	22			25	26	27	28	8	19	20	21	22	23	24	25	12	18	19	20	21	22	23	24
5	29	30	31					9	26	27	28	29				13	25	26	27	28	29	30	31
_		Λ.								N 4 4	ay 2	200						ī.,					
Apr 2024					0	S		М		•			_	_		Jun 2024							
			107							T	W	T	F	S	S		M	T	W	T	F	S	S
10	M		W					10	IVI		-1	2	2	4	E	22						- 1	
13	1	2	3	4	5	6	7	18		7	1	2	3	4	5	22	2	1	_	6	7	1	2
14	1	2	3 10	4 11	5 12	6 13	7 14	19	6	7	8	9	10	11	12	23	3	4	5	6	7	8	9
14 15	1 8 15	2 9 16	3 10 17	4 11 18	5 12 19	6 13 20	7 14 21	19 20	6 13	14	8 15	9 16	10 17	11 18	12 19	23 24	10	11	12	13	14	8 15	9 16
14 15 16	1 8 15 22	2 9 16 23	3 10 17	4 11 18	5 12	6 13 20	7 14 21	19 20 21	6 13 20	14 21	8 15 22	9 16 23	10 17 24	11	12	23 24 25	10 17	11 18	12 19	13 20	14 21	8 15 22	9 16 23
14 15	1 8 15 22	2 9 16 23	3 10 17	4 11 18	5 12 19	6 13 20	7 14 21	19 20	6 13 20	14 21	8 15	9 16 23	10 17 24	11 18	12 19	23 24	10	11 18	12 19	13 20	14	8 15 22	9 16 23
14 15 16	1 8 15 22	2 9 16 23 30	3 10 17	4 11 18 25	5 12 19 26	6 13 20	7 14 21	19 20 21	6 13 20	14 21 28	8 15 22	9 16 23 30	10 17 24 31	11 18	12 19	23 24 25	10 17	11 18 25	12 19	13 20 27	14 21 28	8 15 22	9 16 23
14 15 16	1 8 15 22	2 9 16 23 30	3 10 17 24	4 11 18 25	5 12 19 26	6 13 20 27	7 14 21 28	19 20 21	6 13 20	14 21 28	8 15 22 29	9 16 23 30	10 17 24 31	11 18 25	12 19	23 24 25	10 17	11 18 25	12 19 26	13 20 27	14 21 28	8 15 22	9 16 23
14 15 16	1 8 15 22 29	2 9 16 23 30	3 10 17 24	4 11 18 25	5 12 19 26	6 13 20 27	7 14 21 28	19 20 21	6 13 20 27	14 21 28	8 15 22 29	9 16 23 30	10 17 24 31	11 18 25	12 19 26	23 24 25	10 17 24	11 18 25	12 19 26	13 20 27	14 21 28	8 15 22 29	9 16 23 30
14 15 16 17	1 8 15 22 29	2 9 16 23 30	3 10 17 24 JI 2 W	4 11 18 25	5 12 19 26 4	6 13 20 27	7 14 21 28	19 20 21 22	6 13 20 27	14 21 28	8 15 22 29	9 16 23 30 202	10 17 24 31 4	11 18 25	12 19 26	23 24 25 26	10 17 24	11 18 25	12 19 26	13 20 27	14 21 28	8 15 22 29	9 16 23 30
14 15 16 17	1 8 15 22 29 M 1	2 9 16 23 30 Ju 7	3 10 17 24 JI 2 W 3	4 11 18 25 202	5 12 19 26 4 5	6 13 20 27 S 6	7 14 21 28 S 7	19 20 21 22	6 13 20 27	14 21 28 Au	8 15 22 29 19 2 W	9 16 23 30 202 T	10 17 24 31 4 F	11 18 25 \$ 3	12 19 26 \$	23 24 25 26	10 17 24	11 18 25 Se	12 19 26 p 2 W	13 20 27 202	14 21 28 24	8 15 22 29	9 16 23 30 \$ 1
14 15 16 17 27 28	1 8 15 22 29 M 1 8	2 9 16 23 30 Ju 7 2 9	3 10 17 24 II 2 W 3 10 17	4 11 18 25 202 T 4 11 18	5 12 19 26 4 F 5 12	6 13 20 27 \$ 6 13 20	7 14 21 28 \$ 7 14 21	19 20 21 22 31 32	6 13 20 27 M	14 21 28 Au T	8 15 22 29 19 2 W	9 16 23 30 202 T 1 8	10 17 24 31 4 F 2 9	11 18 25 \$ 3 10	12 19 26 \$ 4 11	23 24 25 26 35 36	10 17 24 M	11 18 25 Se T	12 19 26 p 2 W	13 20 27 202 T	14 21 28 24 F	8 15 22 29 \$	9 16 23 30 \$ 1 8
14 15 16 17 27 28 29	1 8 15 22 29 M 1 8 15 22	2 9 16 23 30 Ju 7 2 9 16	3 10 17 24 II 2 W 3 10 17 24	4 11 18 25 202 T 4 11 18	5 12 19 26 4 5 12 19	6 13 20 27 \$ 6 13 20	7 14 21 28 \$ 7 14 21	19 20 21 22 31 32 33	6 13 20 27 M 5 12	14 21 28 Au T 6 13 20	8 15 22 29 Ig 2 W	9 16 23 30 202 T 1 8 15 22	10 17 24 31 4 F 2 9 16 23	11 18 25 \$ 3 10 17 24	12 19 26 \$ 4 11 18	23 24 25 26 35 36 37	10 17 24 M 2 9 16	11 18 25 Se T	12 19 26 P 2 W 4 11	13 20 27 27 202 T 5 12 19	14 21 28 24 F	8 15 22 29 \$ 7 14	9 16 23 30 \$ 1 8 15 22
14 15 16 17 27 28 29 30	1 8 15 22 29 M 1 8 15 22	2 9 16 23 30 Ju 7 2 9 16 23	3 10 17 24 II 2 W 3 10 17 24	4 11 18 25 202 T 4 11 18	5 12 19 26 4 5 12 19	6 13 20 27 \$ 6 13 20	7 14 21 28 \$ 7 14 21	19 20 21 22 31 32 33 34	6 13 20 27 M 5 12 19	14 21 28 Au T 6 13 20	8 15 22 29 W 7 14 21	9 16 23 30 202 T 1 8 15 22	10 17 24 31 4 F 2 9 16 23	11 18 25 \$ 3 10 17 24	12 19 26 \$ 4 11 18	23 24 25 26 35 36 37 38	10 17 24 M 2 9 16	11 18 25 Se T 3 10 17	12 19 26 P 2 W 4 11 18	13 20 27 27 202 T 5 12 19	14 21 28 24 F 6 13 20	8 15 22 29 \$ 7 14 21	9 16 23 30 \$ 1 8 15 22